March 2024


WEARPARTS CATALOGUE

HUGE RANGE - GREAT PRICES - GREAT SERVICE
AUSTRALIA WIDE DELIVERY

Cate group

Standard replacement wearparts and tungsten carbide hard faced wearparts for

Rotary Hoe Blades Power Harrow Blades Ripper Shanks & Assemblies **Plough Discs & Coulters Points & Sweeps Mulching Hammers** Flail Blades **Forestry Mulcher Wearparts Wood Chipper Blades Slasher Blades Stump Grinding Teeth & Holders Auger Pilots & Teeth Trencher Teeth Sod Harvester Blades Aerator Tines Horizontal Grinder Wearparts Custom Hardfacing Service Custom Castings & Forgings Fasteners & U-Bolts**



www.atcgroup.com.au

PH: 07 3285 7777

MOB: 0448 588 433

EMAIL: paul@atcgroup.com.au





Catalogue Contents

Fasteners & U-Bolts

About ATC Group

CATALOGUE OUICK SEARCH

We will always try to help you.

ATC GROUP head office is located in Brisbane Australia. For over two decades we have been one of Australia's most respected component and wearparts manufacturers. Our reputation as Australia's premier hard facing and custom wearpart company has resulted in wearpart sales into NZ, Canada, USA, and the UK. Allocating a percentage of turnover to R & D projects enable us to continually develop and improve our parts and procedures. Our relationships with Australian agricultural companies has grown over the years as customers realise the ATC GROUP philosophy is simple... we do what we say – every time!

We are genuinely dedicated to what we do. Our team, including engineers, metallurgists and professional welders are always keen to assist with the development of new parts, concepts and procedures. We are always undertaking trials and making prototypes for trialling with our customers. We are more than just a wearparts supplier. We develop, trial and strive to continually improve wearparts for our customers.

| catalogue contents | | CAIALOGOL QUICK SLANCII |
|---|-------------|--|
| Rotary hoe blades | Pages 4-9 | FEATURE |
| Power harrow blades | Pages 10-11 | How to use the quick search |
| Ripper legs, ripper points, aerator tines | Pages 12-15 | feature. Simply hold down the |
| Plain, scalloped, fluted labrador discs | Pages 16-27 | "ctrl" key and press "F" for FIND. |
| Coulters | Pages 28-31 | |
| Agricultural points & sweeps | Pages 32-39 | A search tool box will appear. |
| Mulching hammers | Pages 40-47 | Type into the search box what |
| Mulching flail blades | Pages 48-53 | you are looking for, for example "Nobili" and the search feature |
| Forestry mulcher inserts & holders | Pages 54-65 | will display every mention of the |
| Wood chipper blades | Pages 66-68 | word "Nobili" within the parts |
| Slasher blades | Pages 69-72 | catalogue :) Quick and easy! |
| Stump grinding teeth, trencher teeth | Pages 73-81 | |
| Auger wearparts and trencher teeth | Pages 82-84 | If you cannot find what you are |
| Turf cutter & aerator blades | Pages 85-86 | looking for please contact ATC. |

Phone: 07 3285 7777 or Mobile 0448 588 433

Pages 87-89

Email: sales@atcgroup.com.au WEB www.atcgroup.com.au

Tungsten carbide hardfacing specialists



ATC are importers and wholesalers of Italian and Spanish manufactured wearparts made from quality European boron steel. ATC can supply standard replacement parts direct from the manufacturer to end users Australia wide and can supply our wearparts with additional tungsten carbide hardfacing or tungsten tile resulting in the longest wearing parts available in Australia today.

Cultivation by its very nature is abrasive and wearpart expenses, unlike commodity prices and rainfall only seem to go one way. The use of tungsten tiles, overlay, hardfacing wires and rods definitely increases the wear life of ground engaging parts.

The problem is - at what cost?

- 1. Many tungsten overlay companies charge so much your 1st square inch is worth as much as your point.
- 2. It wears well but increased drag means you need a dozer to pull your rig. Not to mention fuel costs.
- 3. Tiles fall off, break off, crack, splinter and split. When they do stay on, the point washes away everywhere else and the tile is left without a tip to protect.
- 4. More often than not you pay for twice the coating that you really need and end up throwing away hard earned dollars. If you have tried or are using someone else for your wear protection contact us and we will discuss what you actually need, rather than what makes us the most money.

We will determine:

- 1. What your actual wear issues are.
- 2. Your environment whether ATC tiles or ATC overlay or a combination may suit your needs. We consider every aspect ensuring we don't create too much drag. We generally don't use tiles in rocky country. When we do, we use a composite that can withstand rock impact.

We will visit if possible. If not us - we have close ties with 1 independent company in each Australian state that is privy to the same methods we use and has access to our castings and forgings at greatly reduced rates. We will give you a free trial of our product – that will work better than our competitors. Our aim is to supply quality wearparts and save you money and reduce your time and labour costs by you not having to change out wearing parts anywhere near as often.

Phone: 07 3285 7777 or Mobile 0448 588 433

Email: sales@atcgroup.com.au WEB www.atcgroup.com.au



Rotary Hoe Blades, Cultitiller Tines & Power Harrow Blades

ATC supply standard replacement boron blades and tungsten carbide hardfaced blades for fitment in abrasive conditions such as sandy soils, granite country, and abrasive soil types. ATC tungsten carbide hardfaced blades can be utilised for fitment behind wheel tracks to reduce the need to change out worn blades as often.

ATC's hardfacing process of rotary hoe blades is unique. The placement of ATC's hardfacing enables the blade to wear sharp. ATC's tungsten carbide hardfacing will not break away from the blade, resist impact, and guarantee that you will more than double the life of the blade.

ATC's tungsten carbide hardfaced hoe blades are being used by some of the largest farming entities in the country and are tried, tested, and highly regarded by our ever growing number of customers.

Pictured right; ATC's hardfaced Boron hoe blade undergoing trial compared to non hardfaced Boron blades which can be seen in the back ground completely worn to sharp points. The ATC blade has yet to wear through the tungsten carbide hardfaced section.








Replacement Boron blades with the option of tungsten carbide hardfacing for Agrator, Breviglieri, Celli, Falc, Howard, Krone, Kuhn, Lely, Maschio, Massano, Sicma, Tortella, Valentini and Wecan rotary hoes, bed formers and power harrows.

ATC rotary hoe blades are manufactured from 30MNB5 boron steel and have a Rockwell hardness of 48-52 HRC. ATC hoe blades are manufactured using spherical moulds, this gives the blade a perfectly consistent curvature of the entire blade. This allows the blade, when engaged, to avoid wearing on the back side of the blade, and allows for even wearing of the blade.

ATC also supply tungsten carbide hardfaced blades coated with our unique tungsten grit matrix with trialled and tested placement of the tungsten hardfacing. ATC have conducted many trials with our customers and from these trials we know what works best offering the longest wear life.



| Brand | Size A | Size B | Hole Dia | Hole Centres | Width Thickness | ATC P/No | Price Ea Standard | Price Ea Hardfaced |
|---------------------------------|-------------|------------|-------------|-----------------|--------------------|----------------------------|----------------------|-----------------------|
| Agrator - Power Blade | 200mm | 150mm | 16.5mm | 75mm | 105mm x 8mm | A-RHHO52LH A-RHHO52RH | | |
| Above suits AN | 1 & MRP A | Agrator m | odels. OEN | /I 8808701 | / 8808702 - Bolt K | (it F-RH78778 M | 16 x 45mm | |
| Breviglieri L Power Blade | 180mm | 136mm | 14.5mm | 57mm | 80mm x 8mm | A-RHCEL22LH A-RHCEL22RH | | |
| Above suits Bre | evi B83, 10 | 03, 123, 1 | 70, 250 Do | ble & Max | i OEM 0064818D/ | S - Bolt Kit F-RH7 | 78777 M14 > | c 50mm |
| Breviglieri C Speed Blade | 195mm | 136mm | 14.5mm | 57mm | 80mm x 8mm | A-RHCEL21LH A-RHCEL21RH | | |
| Above suits Bre | evi B83, 10 | 03, 123, 1 | 70, 250 Do | ble & Max | i OEM 0064811D/ | S - Bolt Kit F-RH | 78777 M14 | x 50mm |

Note on Breviglieri blade fitment options. You can also fit 1" longer blades for an increased working depth.

Fit ATC Part no A-RHMA21LH/RH "C" blades or A-RHMA22LH/RH "L" blades.

On outer flanges fit shorter blades A-RHCEL21LH/RH "C" blades or A-RHCEL22LH/RH "L" blades.

| Celli | 180mm | 136mm | 14.5mm | 57mm | 80mm x 8mm | A-RHCEL22LH | | |
|--|-------|-------|--------|-------|------------|-------------|------|--|
| L Power Blade | 1.50 | | | 1/1/2 | | A-RHCEL22RH | 1.16 | |
| Above suits Celli E, H, HV, F, G, K, Pioneer, Tiger, Ergon OEM 722533/722534 - Bolt Kit F-RH78790 M14 x 40mm | | | | | | | | |


| Celli | 195mm | 136mm | 14.5mm | 57mm | 80mm x 8mm | A-RHCEL21LH | |
|---------------|-------|-------|--------|------|------------|-------------|--|
| C Speed Blade | | | | | | A-RHCEL21RH | |

Above suits Celli E, H, HV, F, G, K, Pioneer, Tiger, Ergon OEM 722537/722538 - Bolt Kit F-RH78790 M14 x 40mm

References to OEM brands and part numbers are for identification purposes only. Items are not sold as original equipment parts.



| Size A | Size B | Hole Dia | Hole Centres | Width Thickness | ATC P/No | Price Ea Standard | Price Ea Hardfaced |
|------------------------------|---|--|--|--|--|--|--|
| 180mm | 136mm | 14.5mm | 50mm | 70mm x 7mm | A-RHCEL14LH | | 1.6 |
| 4916. | 6.161 | | | 1.10 1.112 | A-RHCEL14RH | | |
| ha, C, CE, | models. | OEM 3315 | 26 / 33152 | 27 - Bolt Kit F-RH78 | 790 M14 x 40mı | m | |
| 195mm | 136mm | 14.5mm | 50mm | 70mm x 7mm | A-RHCEL10LH | 11 101 | 28. B |
| | | 14 AM | 1/25-1 | | A-RHCEL10RH | | |
| ha, C, CE, | models | OEM 3315 | 28 / 33152 | 9 - Bolt Kit F-RH78 | 790 M14 x 40mr | n | |
| 207mm | 140mm | 16.5mm | 57mm | 90mm x 10mm | A-RHMA42LH | 199A - | 90/1/4 |
| | | | | | A-RHMA42RH | 27.7 | 1/1/2 / |
| er Tiger (| DEM 7225 | 560 / 72250 | 61 - Bolt Ki | it F-RH78779 M16 | x 50mm (Speed v | ersion also a | vailable) |
| 180mm | 136mm | 14.5mm | 57mm | 80mm x 8mm | A-RHCEL22LH | 15/1/2 | |
| | | 15 | | | A-RHCEL22RH | | |
| c C, CS, E | models C | DEM 76242 | 7 / 762428 | 3 - Bolt Kit F-RH78 | 790 M14 x 40mn | n | |
| 200mm | 150mm | 16.5mm | 75mm | 105mm x 8mm | A-RHHO52LH | 1/2/1/K | |
| | | 2.5 | | | A-RHH052RH | | |
| c F, G, mo | dels OEN | 1 762719 / | 762720 als | so Gamma, Kappa | models OEM 25. | .09.59/25.09 | 9.60 |
| 215mm | 142mm | 14.5mm | 56mm | 80mm x 8mm | A-RHMA22LH | 1/11/ | 1//- |
| | | | | 4 1850 M | A-RHMA22RH | | |
| c D <u>mode</u> l | ls OFM 70 | 9970 / 799 [.] | 71 Pol+V | | | | |
| | IS OLIVI 7. | ,310 133 | /I - BOIL K | it F-RH78790 M14 | x 40mm | | |
| 180mm | 138mm | 16mm | 51mm | 80mm x 10mm | A-RHHO81LH | | |
| | | | | | | | |
| 180mm | 138mm | 16mm | 51mm | | A-RHHO81LH A-RHHO81RH | " x 1 3/4" | |
| 180mm | 138mm | 16mm | 51mm | 80mm x 10mm | A-RHHO81LH A-RHHO81RH | " x 1 3/4" | |
| 180mm 00, AH, CH | 138mm H, RC, HR4 | 16mm 10-43, AH,S | 51mm 5,M, OEM | 80mm x 10mm 9862/9863 -Bolt Ki | A-RHHO81LH A-RHHO81RH t F-RH78776 5/8 | " x 1 3/4" | |
| 180mm 00, AH, CH 210mm | 138mm H, RC, HR4 | 16mm | 51mm 5,M, OEM 9 | 80mm x 10mm 9862/9863 -Bolt Ki | A-RHHO81LH A-RHHO81RH t F-RH78776 5/8 A-RHHO35LH A-RHHO35RH | | |
| 180mm 00, AH, CH 210mm | 138mm H, RC, HR4 | 16mm | 51mm 5,M, OEM 9 | 80mm x 10mm 9862/9863 -Bolt Ki 80mm x 9mm | A-RHHO81LH A-RHHO81RH t F-RH78776 5/8 A-RHHO35LH A-RHHO35RH | | |
| | 180mm pha, C, CE, 195mm pha, C, CE, 207mm per Tiger C 180mm c C, CS, E 200mm c F, G, mo 215mm | 180mm 136mm oha, C, CE, models. 195mm 136mm oha, C, CE, models 207mm 140mm oer Tiger OEM 7225 180mm 136mm c C, CS, E models C 200mm 150mm c F, G, models OEM 215mm 142mm | Dia 180mm 136mm 14.5mm That, C, CE, models. OEM 3315 195mm 136mm 14.5mm That, C, CE, models OEM 3315 207mm 140mm 16.5mm The per Tiger OEM 722560 / 72256 180mm 136mm 14.5mm The c C, CS, E models OEM 76242 200mm 150mm 16.5mm The c F, G, models OEM 762719 / 16.5mm | Dia Centres 180mm 136mm 14.5mm 50mm Tha, C, CE, models. OEM 331526 / 33152 195mm 136mm 14.5mm 50mm Tha, C, CE, models OEM 331528 / 33152 207mm 140mm 16.5mm 57mm The oper Tiger OEM 722560 / 722561 - Bolt Ki 180mm 136mm 14.5mm 57mm The c C, CS, E models OEM 762427 / 762428 200mm 150mm 16.5mm 75mm The c F, G, models OEM 762719 / 762720 als 215mm 142mm 14.5mm 56mm | Dia Centres Thickness 180mm 136mm 14.5mm 50mm 70mm x 7mm 50ha, C, CE, models. OEM 331526 / 331527 - Bolt Kit F-RH78 195mm 136mm 14.5mm 50mm 70mm x 7mm 50ha, C, CE, models OEM 331528 / 331529 - Bolt Kit F-RH78 207mm 140mm 16.5mm 57mm 90mm x 10mm 50er Tiger OEM 722560 / 722561 - Bolt Kit F-RH78779 M16 57mm 80mm x 8mm 50er C, CS, E models OEM 762427 / 762428 - Bolt Kit F-RH7878 200mm 150mm 16.5mm 75mm 105mm x 8mm 50er F, G, models OEM 762719 / 762720 also Gamma, Kappa 215mm 142mm 14.5mm 56mm 80mm x 8mm | 180mm 136mm 14.5mm 50mm 70mm x 7mm A-RHCEL14LH A-RHCEL14RH A-RHCEL14RH A-RHCEL14RH A-RHCEL14RH A-RHCEL14RH A-RHCEL14RH A-RHCEL10LH A-RHCEL10LH A-RHCEL10RH A-RHCEL10RH A-RHCEL10RH A-RHCEL10RH A-RHCEL10RH A-RHCEL10RH A-RHMA42LH A-RHMA42RH A-RHMA42RH A-RHMA42RH A-RHMA42RH A-RHMA42RH A-RHCEL22RH A-RHCEL2RH A-RHCEL2RH A-RHCEL2RH A-RHCEL2RH A-RHCEL10RH A-RHCEL | Dia Centres Thickness Standard 180mm 136mm 14.5mm 50mm 70mm x 7mm A-RHCEL14LH A-RHCEL14RH Oha, C, CE, models. OEM 331526 / 331527 - Bolt Kit F-RH78790 M14 x 40mm 195mm 136mm 14.5mm 50mm 70mm x 7mm A-RHCEL10LH A-RHCEL10RH Oha, C, CE, models OEM 331528 / 331529 - Bolt Kit F-RH78790 M14 x 40mm 207mm 140mm 16.5mm 57mm 90mm x 10mm A-RHMA42LH A-RHMA42RH Oper Tiger OEM 722560 / 722561 - Bolt Kit F-RH78779 M16 x 50mm (Speed version also a service of the composition of the comp |





30 day trading account available to approved applicants. Contact Paul for an account application form. Email: paul@atcgroup.com.au

| Brand | Size A | Size B | Hole Dia | Hole Centres | Width Thickness | ATC P/No | Price Ea Standard | Price Ea Hardfaced | | |
|---|--|------------|-------------|-----------------|----------------------|----------------------------|----------------------|-----------------------|--|--|
| HOWARD C Speed Blade | 225mm | 142mm | 14.5mm | 56mm | 80mm x 8mm | A-RHMA21LH A-RHMA21RH | | | | |
| Above suits HR | Above suits HR35-R2 Rotor models OEM 79972/79973 - Bolt Kit F-RH78790 M14 x 40mm | | | | | | | | | |
| HOWARD L Power Blade | 215mm | 142mm | 14.5mm | 56mm | 80mm x 8mm | A-RHMA22LH A-RHMA22RH | | | | |
| Above suits HR | 35-R2 Rot | or OEM 7 | 79970/799 | 71 - Bolt K | it F-RH78790 M14 | x 40mm | | | | |
| HOWARD L Power Blade | 175mm | 140mm | 13mm | 57mm | 80mm x 7mm | A-RHH001LH A-RHH001RH | | | | |
| Above suits R5 | 00, HR30, | 35, 30A, | E, AR, ST m | nodels OEN | И 3900 / 3901 - Bol | t Kit F-RH78775 | 1/2" x 1 1/2 | 2" | | |
| HOWARD L Power Blade | 200mm | 150mm | 16.5mm | 75mm | 105mm x 8mm | A-RHH052LH A-RHH052RH | | | | |
| Above suits HR50, 60, 61, "F Rotor" OEM 762719 / 762720 - Bolt Kit F-RH78779 M16 x 60mm | | | | | | | | | | |
| KRONE L Power Blade | 200mm | 150mm | 16.5mm | 75mm | 105mm x 8mm | A-RHHO52LH A-RHH052RH | | | | |
| Above suits Kro | one RF mo | dels OEN | 1 1070830 | / 1072690 |) - Bolt Kit F-RH787 | 79 M16 x 60mm | 1 | | | |
| KUHN L Power Blade | 200mm | 150mm | 16.5mm | 75mm | 105mm x 8mm | A-RHHO52LH A-RHH052RH | | | | |
| Above suits Ku | hn 140N - | EL 201, 2 | 82 models | OEM 523 | 59600 / 52359700 · | Bolt Kit F-RH78 | 779 M16 x 6 | 50mm | | |
| KUHN Cultitiller Tine | 293mm | long x 60r | mm wide x | 15mm thi | ck | A-RHTKU79LH A-RHTKU80RH | | | | |
| Above suits Ku | hn EL201 · | - EL282 m | odels OEM | 1 5236570 | 0 / 52365800 | | | | | |
| MASCHIO L Power Blade | 225mm | 142mm | 14.5mm | 56mm | 80mm x 8mm | A-RHMA22LH A-RHMA22RH | | | | |
| Above suits B, | BI, C, SC, 1 | eranova | models OE | M 011042 | 6 / 0110427 - Bolt | Kit F-RH78790 N | /114 x 40mm | | | |
| MASCHIO C Speed Blade | 215mm | 142mm | 14.5mm | 56mm | 80mm x 8mm | A-RHMA21LH A-RHMA21RH | | | | |
| Above suits B, | BI, C, SC, 1 | eranova | OEM 0110 | 0428 / 011 | 0429 - Bolt Kit F-RH | 178790 M14 x 40 |)mm | | | |





| Brand | Size A | Size B | Hole Dia | Hole Centres | Width Thickness | ATC P/No | Price Ea Standard | Price Ea Hardfaced |
|------------------|-------------|--------------------|--------------|-----------------|----------------------|----------------|----------------------|-----------------------|
| MASCHIO | 257mm | 142mm | 16.5mm | 68mm | 90mm x 10mm | A-RHMA30LH | | |
| C Speed Blade | 1146 | 1 /2 // | | 126 | 13656 | A-RHMA30RH | | |
| Above suits G S | Series OEN | И 201004: | 12 / 20100 | 413 - Bolt | Kit F-RH78779 M1 | 6 x 50mm | | |
| MASCHIO | 244mm | 142mm | 16.5mm | 68mm | 90mm x 10mm | A-RHMA31LH | 1/1/1/1 | 2500/10 |
| L Power Blade | | | | 4/10/00 | | A-RHMA31RH | | 44 11 11 |
| Above suits G S | Series OEN | M 201004 | 14 / 20100 | 415 - Bolt | Kit F-RH78779 M1 | 6 x 50mm | | |
| MASCHIO | 213mm | 145mm | 16.5mm | 56mm | 90mm x 10mm | A-RHMA42LH | | 2///2 |
| L Power Blade | | | | | | A-RHMA42RH | 1/12 | 11/2 |
| Above suits S so | eries Pant | era OEM | 09400418 | / 0940041 | .9 - Bolt Kit F=RH78 | 3779 M16 x 50m | m | |
| MASCHIO | 214mm | 145mm | 16.5mm | 56mm | 90mm x 10mm | A-RHMA41LH | 1/1/1/ | 1/// |
| C Speed Blade | | | 110 | | All the same | A-RHMA41RH | | |
| Above suits S so | eries Pant | era OEM | 09400414 | / 0940041 | .5 - Bolt Kit F-RH78 | 779 M16 x 50mı | n | |
| MASSANO | 180mm | 136mm | 14.5mm | 57mm | 80mm x 8mm | A-RHCEL22LH | | |
| L Power Blade | 100 | | 77.00 | 12/5 | | A-RHCEL22RH | | |
| Above suits Ma | issano var | rious - Bol | lt Kit F-RH7 | 78790 M14 | 1 x 40mm | | | |
| MASSANO | 195mm | 136mm | 14.5mm | 57mm | 80mm x 8mm | A-RHCEL21LH | | 137 |
| C Speed Blade | 11 | | | | | A-RHCEL21RH | | |
| Above suits Ma | ssano vari | ious - Bolt | : Kit F-RH78 | 8790 M14 | x 40mm | | | |
| SICMA | 180mm | 136mm | 14.5mm | 57mm | 80mm x 8mm | A-RHCEL22LH | | |
| L Power Blade | 9 11 | | | | | A-RHCEL22RH | V . 7 | |
| Above suits RG | , SP Series | s OEM 48: | 14002 / 48 | 14003 - Bo | olt Kit F-RH78790 N | /114 x 40mm | | |
| SICMA | 195mm | 136mm | 14.5mm | 57mm | 80mm x 8mm | A-RHCEL21LH | | |
| C Speed Blade | × | 800 | 100 | | 100/12/11/14 | A-RHCEL21RH | 7/ | |
| Above suits RG | , SP Series | s OEM 48 | 14004 / 48 | 14005 - Bo | olt Kit F-RH78790 N | /114 x 40mm | | |
| SICMA | 60mm w | ide x 12m | m thick. 3 | x 14.5mm | holes | A-RHSI48LH | 7.1/1/11 | |
| Antipan Blade | 21.1 | n 50mm | | | | A-RHSI48RH | 1. 11. 18 1 | 11.00 |



ATC also provide a custom tungsten carbide hardfacing service. With over 20 years experience and robotic and computer aided delivery systems, we are very skilled at what we do. Contact us to discuss your requirements.

| 195mm | | Dia | Centres | Thickness | | Standard | Hardfaced |
|------------|--|--|--|--|--|--|--|
| 19911111 | 136mm | 14.5mm | 57mm | 80mm x 8mm | A-RHCEL21LH A-RHCEL21RH | | |
| 4 OEM 2 | 985204 / | 2985206 | - Bolt Kit F | -RH78790 M14 x 4 | 0mm | | |
| 180mm | 136mm | 14.5mm | 57mm | 80mm x 8mm | A-RHCEL22LH A-RHCEL22RH | | |
| 4 OEM 2 | 985214 / | 2985216 - | Bolt Kit F | -RH78790 M14 x 40 | Omm | | |
| 180mm | 136mm | 14.5mm | 57mm | 80mm x 8mm | A-RHCEL22LH A-RHCEL22RH | | |
| V, MGW | series OE | M Celli205 | - Bolt Kit | F-RH78790 M14 x | 40mm | | |
| 195mm | 136mm | 14.5mm | 57mm | 80mm x 8mm | A-RHCEL21LH A-RHCEL21RH | | |
| V, MGW | models L | G80HP - Bo | olt Kit F-RI | 178790 M14 x 40m | m | | |
| 213mm | 145mm | 16.5mm | 56mm | 90mm x 10mm | A-RHMA42LH A-RHMA42RH | | |
| lercules 4 | 4.2m - 7.7 | 7m - Bolt K | it M16 x 4 | 5mm | | | |
| 214mm | 145mm | 16.5mm | 56mm | 90mm x 10mm | A-RHMA41LH A-RHMA41RH | | |
| | 180mm 4 OEM 2 180mm V, MGW 195mm V, MGW 213mm Percules 4 | 180mm 136mm 4 OEM 2985214 / 180mm 136mm 7, MGW series OE 195mm 136mm 7, MGW models L 213mm 145mm Percules 4.2m - 7.3 | 180mm 136mm 14.5mm 4 OEM 2985214 / 2985216 - 180mm 136mm 14.5mm 7, MGW series OEM Celli205 195mm 136mm 14.5mm 7, MGW models LG80HP - Box 213mm 145mm 16.5mm 145mm 16.5mm | 180mm 136mm 14.5mm 57mm 4 OEM 2985214 / 2985216 - Bolt Kit F 180mm 136mm 14.5mm 57mm 7, MGW series OEM Celli205 - Bolt Kit 195mm 136mm 14.5mm 57mm 7, MGW models LG80HP - Bolt Kit F-RH 213mm 145mm 16.5mm 56mm Percules 4.2m - 7.7m - Bolt Kit M16 x 4 | 180mm 136mm 14.5mm 57mm 80mm x 8mm 4 OEM 2985214 / 2985216 - Bolt Kit F-RH78790 M14 x 40 180mm 136mm 14.5mm 57mm 80mm x 8mm 7, MGW series OEM Celli205 - Bolt Kit F-RH78790 M14 x 195mm 136mm 14.5mm 57mm 80mm x 8mm 7, MGW models LG80HP - Bolt Kit F-RH78790 M14 x 40m 213mm 145mm 16.5mm 56mm 90mm x 10mm 145mm 16.5mm 56mm 90mm x 10mm | A-RHCEL22RH A OEM 2985214 / 2985216 - Bolt Kit F-RH78790 M14 x 40mm 180mm | 180mm 136mm 14.5mm 57mm 80mm x 8mm A-RHCEL22LH A-RHCEL22RH 4 OEM 2985214 / 2985216 - Bolt Kit F-RH78790 M14 x 40mm 180mm 136mm 14.5mm 57mm 80mm x 8mm A-RHCEL22LH A-RHCEL22RH 4, MGW series OEM Celli205 - Bolt Kit F-RH78790 M14 x 40mm 195mm 136mm 14.5mm 57mm 80mm x 8mm A-RHCEL21LH A-RHCEL21RH 4, MGW models LG80HP - Bolt Kit F-RH78790 M14 x 40mm 213mm 145mm 16.5mm 56mm 90mm x 10mm A-RHMA42LH A-RHMA42RH 214mm 145mm 16.5mm 56mm 90mm x 10mm A-RHMA41LH A-RHMA41RH |

New! Kuhn Cultitiller blades. OEM 52365700 / 52365800. ATC Part No A-RHKU79LH / A-RHKU80RH

New! Sicma Antipan blades. OEM 4814515 / 4814514.
ATC Part No A-RHSI48LH / A-RHSI48RH







Actual results from an Australian producer with over 1,000 hectares under cultivation. Monitored hour and hectare trial using a Kuhn EL 282 rotary hoe, 260Hp tractor, 350 rpm hoe blade speed, travel speed 2.2km per hour. Soil type, red loamy soil. Result - ATC hardfaced boron blades lasted 3.4 times longer compared to a non hardfaced boron blade. ATC Group delivered a 51% decrease of cost per blade to the customer. Additional cost savings of time and labour for the change out of worn blades - 2 change outs of blades were not required. "Very impressed"



References to OEM brands and part numbers are for identification purposes only. Items are not sold as original equipment parts.







ATC power harrow blades are manufactured from 30MNB5 Italian boron steel and have a Rockwell hardness of 48-52 HRC to provide the very best performance in wear resistance. ATC GROUP only supply bolt on applications and do not stock quick fit blades due to patents.

ATC GROUP has always been driven to be the absolute leader in the field of hard facing and tungsten carbide overlay. To achieve this we constantly evolve our process, experimenting with application technology, matrix selection, alloys and pre/post heat treatment regimes.

ATC's tungsten carbide hardfaced power harrow blades greatly extend wear life and saves time and labour cost by not having to change out worn blades anywhere near as often. ATC can also hardface blade holders so you will never need to replace.

| Brand | Size A | Size B | Hole Dia | Hole Centres | Thickness | ATC P/No | Price Ea Standard | Price Ea Hardfaced |
|----------------|--------------|------------|-------------|-----------------|----------------------|--------------------------|----------------------|-----------------------|
| CELLI | 280mm | 90mm | 17mm | 50mm | 12mm | A-PHMA16RH A-PHMA16LH | | |
| Above suits ER | , ER/P Rar | nger, Ran | ger/P OEN | 1 622715/6 | 522716 - Bolt Kit F- | RH78779 M16 x | 60mm | |
| FALC | 280mm | 90mm | 16.5mm | 50mm | 14mm | A-PHMA31RH A-PHMA31LH | | |
| Above suits Fo | x OEM 51 | 2075 / 51 | 12076 - Bol | t Kit F-RH7 | /8779 M16 x 60mm | ı | | |
| KVERNELAND | 280mm | 90mm | 17mm | 50mm | 12mm | A-PHMA16RH A-PHMA16LH | | 9 |
| Above suits PH | , PB, NG n | nodels OI | EM 010146 | / 020146 | - Bolt Kit F-RH7877 | 9 | | |
| SICMA | 280mm | 90mm | 17mm | 50mm | 12mm | A-PHMA16RH A-PHMA16LH | | |
| Above suits Su | per 300 O | EM 05270 | 01 / 05280 | 1 - Bolt Kit | F-RH78779 M16 x | 60mm | | |
| MASCHIO | 280mm | 90mm | 16.5mm | 50mm | 14mm | A-PHMA31RH A-PHMA31LH | 6 | |
| Above suits DC | ,DS,DL, Fa | ilco, Gabl | oiano OEM | 38100222 | / 3 - Bolt Kit F-RH7 | 78779 M16 x 60i | nm | |
| MASCHIO | 300mm | 100mm | 16.5mm | 60mm | 15mm | A-PHMA36RH A-PHMA36LH | | |
| Above suits DN | /I, Aquila (| DEM 3610 | 00215 / 361 | L00216 - B | olt Kit F-RH78779 N | V116 x 60mm | | |



All pricing is shown as exclusive of GST.

Now Available!

Lely Roterra / Tulip power harrow club tines.

Replaces OEM LH 1.1699.0111.0

RH 1.1699.0112.0

Standard replacement or Tungsten carbide hardfaced.

ATC Part No A-PHLEL16LH ATC Part No A-PHLEL16RH



Now Available!

Kuhn Cultitiller Blades LH/RH

Kuhn Cultitiller blade LH OEM 52359200
Kuhn Cultitiller blade RH OEM 52359300

Standard replacement or

Tungsten carbide hardfaced.



ATC Part No A-RHTKUK92L
ATC Part No A-RHTKUK93R

NOTES

| MACHINE TYPE | MAKE / MODEL | ATC PART NO | PRICE EA | QUANTITY REQ'D |
|--------------|--------------|-------------|----------|----------------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Email: paul@atcgroup.com.au Phone: 07 3285 7777 Mobile: 0448 588 433





Ground Engaging Wearparts



Ripper assemblies, points, shin guards, shear pins, aerator tines.

Our quality cast wearparts are made from high quality nickel Chromalloy steel. The steel we use is a high nickel steel not relying heavily on high carbon levels to achieve hardness. Many companies use high carbon steel instead of nickel to reduce production costs at the expense of ductility and durability. ATC never compromise quality to reduce costs.

ATC tungsten carbide hardfacing on shanks, shin guards and points will greatly extend wear life in the harshest conditions.




Phone: 07 3285 7777 or Mobile 0448 588 433

Email: sales@atcgroup.com.au WEB www.atcgroup.com.au

ATC ripper leg assemblies suit 4" x 4" square RHS toolbars. They are supplied as a complete assembly including, point, shin guard, all fasteners and shear pin rated with a 5T breakout. All spare parts are readily available. Assemblies can be purchased with pre fitted tungsten carbide hardfaced points and shin guards and hardfaced shank or as standard assemblies.

| ATC Part No | Description | Price Ea |
|--------------------|--|-----------|
| A-RI024A | 24" ripper leg assembly complete | |
| A-RI024A-WC | 24" ripper leg assembly complete with | |
| The Arm So | hardfaced point, shin guard. | |
| A-RI024A-WC2 | 24" ripper leg assembly complete with | |
| | hardfaced point, shin guard and shank. | |
| A-RI030A | 30" ripper leg assembly complete | |
| A-RI030A-WC | 30" ripper leg assembly complete with | 0.000 |
| | hardfaced point, shin guard. | |
| A-RI030A-WC2 | 30" ripper leg assembly complete with | |
| | hardfaced point, shin guard and shank. | |
| A-RISHANK24 | 24" ripper leg only | |
| A-RISHANK24-WC | 24" ripper leg only with hardfacing | |
| A-RISHANK30 | 30" ripper leg only | |
| A-RISHANK30-WC | 30" ripper leg only with hardfacing | |
| A-121-1031 | Shin guard | |
| A-121-1031-WC | Shin guard with hardfacing | |
| A-RIPOINT | Ripper point | 100 |
| A-RIPOINT-WC | Ripper point with hardfacing | 1. 17. 18 |
| A-122-2001-WC | Agrowplow style ripper point with hardfacing | |
| F-SP | Shear pin | |
| F-CC | Clevis clips | |
| A-ACP003-SG | Shin guard to suit Gessner | |
| Gessner shin guard | ls available as a hardfaced part as well. | |



All pricing is shown as exclusive of GST. Items are not sold as original equipment parts.

Ripper Leg Mulch Blades

Page 14


| ATC Part No | Description | Price Ea |
|-------------|---------------------------|----------|
| A-RIMB-K | Mulch Blade Kit | |
| A-RIMBA-LH | Adapter LH with fasteners | |
| A-RIMBA-RH | Adapter RH with fasteners | 15/11/1 |
| A-RIMB | Mulch Blade | |

The Mulch blade kit includes 1 x LH and 1 X RH adapter with fasteners and 2 x Mulch blades.



Ripper Points

| ATC Part No | Description | Price Ea |
|-------------|--|----------|
| A-ACP003-WC | Gessner style hardfaced point OEM Ref 7004-026 | |
| A-ACP010-WC | Yeoman style hardfaced point WB-3 wombat | |





Aerator Tines

| ATC Part No | Description | Shattertine style | | Price Ea |
|----------------|--------------------------------|-------------------|--|----------|
| A-ST5455-LH | Shattertine style LH | 0 | (4) | 7 |
| A-ST5455-LH-WC | Shattertine style LH hardfaced | | | |
| A-ST5455-LH | Shattertine style LH | | 11/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1 | 777 |
| A-ST5455-LH-WC | Shattertine style LH hardfaced | | 1/4 | 11/1/2 |



Email: paul@atcgroup.com.au Phone: 07 3285 7777 Mobile: 0448 588 433

NOTES

| MACHINE TYPE | MAKE / MODEL | ATC PART NO | PRICE EA | QUANTITY REQ'D |
|--------------|--------------|-------------|----------|----------------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

All pricing is shown as exclusive of GST.

atc group



Ground Engaging Wearparts







Coulters available in plain, wavy, fluted and radial styles.

Scalloped Discs Labrador Discs Plain Disc

ATC Group supply a complete range of GWT and Agpoint discs and coulters.

Manufactured with a unique boron steel alloy that delivers a Rockwell hardness up to 52 RC without causing brittleness or loss of elasticity.

Compared to high carbon steel, there's just no comparison.



Phone: 07 3285 7777 or Mobile 0448 588 433

Email: sales@atcgroup.com.au WEB www.atcgroup.com.au

Discs & Coulters Page 17

Machine make abbreviation reference chart.

| ALFM | Alfarm | EZ | Ezee-On | JA | Jarrett |
|------|--------------------|-----|------------------|-----|-------------------|
| BNL | Bonel | GZY | Grizzly / K-Line | JD | John Deere |
| вн | Bush Hog | GR | Gibbons Rawling | MF | Massy Ferguson |
| СН | Chamberlain | GN | Gessner | NG | Napier Grasslands |
| CSN | Connor Shea Napier | HGE | Hodge | СН | Shearer |
| cs | Connor Shea | НВ | Horwood Bagshaw | STG | Steiger |
| cw | Country Wide | НТ | Holden HT | TW | Taylorway |
| DB | David Brown | HU | Hutchmaster | WY | Wyper |
| EN | Ennor Eng | IH | Inter-Harvester | Υ | Yeoman |

Abbreviations

PCR = Pitch Circle Radius. To determine PCR measure from centre of centre hole to centre of radial hole

PCD = Pitch Circle Diameter. This measurement is simply the PCR x 2

RCH = Round centre hole


SCH = Square centre hole

F/B = Flat back

SN = Small notch

Tungsten carbide hardfaced disc available from ATC Group!

ATC can supply discs in any size with tungsten carbide overlay to greatly extend the life of plough discs. For more information please contact Paul on email or phone as listed below.



Email: paul@atcgroup.com.au Phone: 07 3285 7777 Mobile: 0448 588 433



| ATC Part Number | Thick mm | Туре | Dish mm | Centre Hole RND=Round SQ=Square NCH=No Hole FB=Flat Back | Radial Holes | PCR Pitch circle radius. | Applications | KG | Price Ea |
|--------------------|-------------|----------|------------|--|-----------------|--------------------------------|--|-------|----------|
| 13" Diame | ter—P | lain / S | callope | ed | | | | 7/4 | 9,07 |
| A-DI04150 | 3mm | Plain | 24mm | NCH | 5 x 7.1 mm | 47.6mm | CS, SH, SNH SUGAR CANE PLANTER | 2.3 | # // |
| A-DI04150S | 3mm | SC | 24mm | NCH | 5 x 7.1 mm | 47.6mm | CS, SH, SNH SUGAR CANE PLANTER | 2.3 | |
| A-DI04252 | 3mm | Plain | 24mm | 46mm RND | 7 x 7 mm | 50.8mm | SHEARER DISC DRILL | 2.3 | |
| 16" Diamet | er—P | lain Sca | lloped | | 11.519 | | | 1 | |
| A-DI02C | 4mm | Plain | 38mm | 27mm & 30mm SQ | | | JARRETT, HORWOOD BAGSHAW, MASSEY FERGUSON | 4 | |
| A-DI04C | 4mm | SC | 38mm | 27mm & 30mm SQ | | | JARRETT, HORWOOD BAGSHAW, MASSEY FERGUSON | 3.8 | |
| 18" Diame | ter—S | callope | ed | | 100 | | | | |
| A-DI011 | 4mm | SC | 41mm | NCH / FB | 4 x 12mm | 60mm | AMAZONE CATROS, 20 NOTCH SERIES 3 | 4.7 | |
| A-DI06C | 5mm | SC | 53mm | 27mm & 30mm SQ | | | DB103, MASSEY FURGUSON, CONNER SHEA NAPIER, JARRETT, BONEL | 6.5 | |
| 20" Diamet | er—P | lain | | 7/ /9 | | / //// | /////////////////////////////////////// | 97 | 100 |
| A-DI011C | 4mm | Plain | 67mm | 27mm & 30mm SQ | | | JARRETT, BONEL, CONNOR SHEA NA- PIER, HORWOOD BAGSHAW, DANIEL HARVEY, SHEARER, MASSEY FURGUSON | 6.1 | |
| A-DI021C | 4mm | Plain | 51mm | 39mm & 41mm SQ | | | CONNOR SHEA NAPIER 670, HODGE, BONEL | 6.1 | |
| A-DI017C | 5m | Plain | 51mm | 30mm & 33mm SQ | | | IH, GL90, SHEARER, CONNOR SHEA NAPIER | 7.2 | |
| 20" Diamet | er—La | abrado | r "Flute | ed" | | | | | |
| A-DI012CLA | 4mm | Fluted | 51mm | 27mm & 30mm SQ | | | JARRETT, BONEL, CONNOR SHEA NA- PIER, SHEARER, MASSEY FURGUSON | 6.1 | |
| 20" Diamet | ter—S | callope | d | | | 1/1/ | | , · . | |
| A-DI012C | 4mm | SC | 67mm | 27mm & 30mm SQ | | | JARRETT, BONEL, CONNOR SHEA NA- PIER, SHEARER, MASSEY FURGUSON | 5.8 | |
| A-DI013C | 4mm | SC | 51mm | 27mm & 30mm SQ FB | | | JARRETT, BONEL, CONNOR SHEA NA- PIER, SHEARER, MASSEY FURGUSON | 5.8 | |
| A-DI018C | 5mm | SC | 51mm | 27mm & 30mm SQ | | | JARRETT, BONEL, CONNOR SHEA NA- PIER, SHEARER, MASSEY FURGUSON | 7.6 | |

All pricing is shown as exclusive of GST. Items are not sold as original equipment parts.



| ATC Part Number | Thick mm | Туре | Dish mm | Centre Hole RND=Round SQ=Square NCH=No Hole FB=Flat Back | Radial Holes | PCR Pitch circle radius. | Applications | KG | Price Ea |
|--------------------|-------------|---------|------------|--|-----------------|--------------------------------|---|------|----------|
| 20" Diame | ter—S | callope | ed cont | inued | | | | | |
| A-DI020025 | 5mm | sc | 51mm | 62mm RND Dual Elongated FB | 5 x 14mm | 55.8mm | LELY TULIP—TRI RUBBERS / MULTIDISC | 7.6 | |
| A-2061SFB | 6mm | SC | 52mm | NCH | 5 x 13mm | 53mm | HORSCH JOKER | 9.75 | |
| 22" Diame | ter—P | lain | | 19/10/ | | | | | |
| A-DI021C | 5mm | Plain | 70mm | 39mm & 41mm SQ | | | SHEARER, HORWOOD BAGSHAW, FORWARD | 9.7 | |
| A-DI024C | 5mm | Plain | 70mm | 27mm & 30mm SQ | 116 | | SHEARER, INTERNATIONAL HARVESTER | 9.5 | |
| A-DI025C | 5mm | Plain | 60mm | 30mm & 33mm SQ | | | MASSEY FERGUSON, CHAMBERLAIN | 9.5 | |
| A-DIO22026 | 5mm | Plain | 60mm | 70mm RND | 6 x 18mm | 56.4mm | CONNOR SHEA, BABY GIANT, DOD | 9.8 | |
| 22" Diame | ter—L | abrado | r "Flut | ed" | | | | | |
| A-DI041CLA | 5mm | Fluted | 55mm | 30mm SQ | | | CONNOR SHEA NAPIER, SHEARER, HORWOOD BAGSHAW | 9.8 | |
| A-DI060CLA | 5mm | Fluted | 51mm | NCH | 6 x 13.5mm | 50mm | BEDNAR SWIFTER, | 9.8 | |
| A-DI044CLA | 6mm | Fluted | 55mm | 70mm RND | 4 x 18.3mm | 68.5mm | GRIZZLY GRUMPY, KLINE | 10.8 | |
| 22" Diame | ter—9 | callop | ed | | | 100 | | | |
| A-DI022160 | 4mm | SC | 85mm | 27mm & 30mm SQ | | | JARRETT | 7 | |
| A-DI022028 | 5mm | SC | 60mm | 62mm RND Dual | 5 x 14mm | 55.8mm | LELY TULIP—TRI RUBBERS / MULTIDISC | 9 | |
| A-DI040C | 5mm | sc | 60mm | 39mm & 41mm SQ | | | JARRETT, WYPERFIELD, BONEL, CON- NOR SHEA, NAPIER, TAYLORWAY | 9 | |
| A-DI041C | 5mm | SC | 60mm | 30mm SQ | | | CONNOR SHEA NAPIER, SHEARER, | 9 | |
| A-DI042C | 5mm | SC | 68mm | 27mm & 30mm SQ FB | | | INTERNATIONAL HARVESTER 3-4, MASSEY FURGUSON, CHAMBERLAIN | 9 | |
| A-DI043 | 5mm | SC | 60mm | 70mm RND | 6 x 18.3mm | 56.5mm | CONNOR SHEA, BABY GIANT , DOD | 9 | |

ATC also provide a custom tungsten carbide hardfacing service. With over 20 years experience and robotic and computer aided delivery systems, we are very skilled at what we do. Contact us to discuss your requirements.



| ATC Part Number | Thick mm | Туре | Dish mm | Centre Hole RND=Round SQ=Square NCH=No Hole FB=Flat Back | Radial Holes CSK=Counter sunk SQ=Square | PCR Pitch circle radius. | Applications | KG | Price Ea |
|--------------------|-------------|----------|------------|--|---|--------------------------------|--|------|----------|
| 22" Diame | eter—S | Scallope | ed cont | inued | | | | | |
| A-DI050C | 6mm | SC | 68mm | 27mm & 30mm SQ FB | | | INTERNATIONAL HARVESTER, MASSEY FERGUSON | 10.6 | |
| A-DI051 | 6mm | SC | 70mm | 70mm RND | 6 x 17.5mm | 56.4mm | CONNOR SHEA, BABY GIANT , DOD | 10.6 | |
| A-DI052C | 6mm | SC | 60mm | 30mm SQ | | | CONNOR SHEA NAPIER, SHEARER | 10.6 | 177 |
| A-DI053C | 6mm | SC | 70mm | 41.5mm SQ | | | JARRETT, WYPERFIELD, BONEL, CONNOR SHEA NAPIER | 10.6 | |
| A-DI055 | 6mm | SC | 70mm | 70mm RND | 4 x 18mm | 68.5mm | GRIZZLY GRUMPY, KLINE | 10.6 | |
| 23" Scallo | ped | | | | | 10 | | | 7 |
| A-2351SFB | 5mm | SC | 53mm | NCH | 4 x 13mm | 55mm | POTTINGER TERRA | 9.7 | |
| 24" Plain | | | 12 | | | 70 1 | | | |
| A-DI080 | 5mm | Plain | 89mm | 27mm RND | 6 x 12.7mm CSK | 82.6mm | SHEARER 5GP | 11.1 | 11 |
| A-DI081 | 5mm | Plain | 80mm | 26mm RND | 4 x 13.5mm | 90.5mm | INTERNATIONAL HARVESTER 1-6 | 11.1 | |
| A-DIO82C | 5mm | Plain | 80mm | 30mm SQ | | | SHEARER, CONNOR SHEA NAPIER, IN- TERNATIONAL HARVESTER, HORWOOD BAGSHAW | 11.1 | |
| A-DI083 | 5mm | Plain | 80mm | 25mm RND | 4 x 11.9mm SQ CSK | 82.6mm | MASSEY FERGUSON 67, 63, 63-5 | 11.1 | |
| A-DI084 | 5mm | Plain | 98mm | 33mm SQ | / // | 7// | CHAMBERLAIN | 11.1 | |
| A-DI085C | 5mm | Plain | 75mm | 40mm SQ | | | SHEARER, HORWOOD BAGSHAW, INTERNATIONAL HARVESTER, BUSH HOG, CONNOR SHEA NAPIER, JARRETT | 11.1 | |
| A-DI086 | 5mm | Plain | 80mm | 25mm RND | 3 x 17mm SQ | 92mm | CONNOR SHEA SERIES 4 ONE WAY | 11.1 | |
| A-DI088 | 5mm | Plain | 80mm | DOME FB | 6 x 13.5mm SQ | 102mm | CONNOR SHEA SERIES 1,2,3 ONE WAY | 11.1 | |
| A-DI091C | 6mm | Plain | 75mm | 30mm & 33mm SQ | 1/// | | SHEARER, CONNOR SHEA NAPIER, JOHN DEERE, BONEL | 14.7 | |

References to OEM brands and part numbers are for identification purposes only. Items are not sold as original equipment parts.

ate group

| ATC Part Number | Thick mm | Туре | Dish mm | Centre Hole RND=Round SQ=Square NCH=No Hole FB=Flat Back | Radial Holes CSK=Counter sunk SQ=Square | PCR Pitch circle radius. | Applications | KG | Price Ea |
|--------------------|-------------|--------|------------|--|---|--------------------------------|--|------|----------|
| 24" Plain o | ontinu | ied | | | | | | | |
| A-2462FB | 6mm | Plain | 67mm | NCH Flat | 4 x 13.5mm | 66.5mm | DEGELMAN | 14.6 | |
| 24" Labrac | lor " F | luted" | | | | | | | |
| A-DI099CLA | 6mm | Fluted | 75mm | 70mm RND | 4 x 18.3mm | 68.5mm | GRIZZLY GRUMP, KLINE | 14.6 | |
| A-DI0100CLA | 6mm | Fluted | 75mm | 30mm SQ | | | CONNOR SHEA NAPIER, SHEARER, BONEL | 14.6 | |
| A-DI0101CLA | 6mm | Fluted | 75mm | 40mm & 42mm SQ | | | INTERNTIONAL HARVESTER, SHEARER, CONNOR SHEA NAPIER, GIBBONS RAWLINGS,, JARRETT, BONEL | 13.9 | |
| A-DI0102CLA | 6mm | Fluted | 80mm | 54mm & 60mm | | | INTERNATIONAL HARVESTER 3-5 | 13.9 | |
| A-DI0103CLA | 6mm | Fluted | 70mm | 70mm RND | 6 x 18.3mm | 56.5mm | CONNER SHEA, BABY GIANT, DOD | 13.9 | |
| A-DI0106CLA | 6mm | Fluted | 70mm | 46mm RND | | | MILLER, DELMADE, SHEARER, BALDAN | 13.9 | |
| A-DI0107CLA | 6mm | Fluted | 70mm | 100mm RND | 6 X 22mm | 92.5mm | GRIZZLY S SERIES | 13.9 | |
| A-DI0109CLA | 6mm | Fluted | 70mm | 39mm SQ FB | | | INTERNATIONAL HARVESTER 596 | 13.9 | |
| 24" Scallop | oed | | | | | | | | |
| A-DI072C | 5mm | SC | 70mm | 30mm SQ | | | SHEARER, CONNOR SHEA NAPIER | 10.8 | |
| A-DI074C | 6mm | sc | 70mm | 30mm SQ | | 11/1/ | SHEARER, CONNOR SHEA NAPIER | 13.6 | |
| A-DI092C | 5mm | sc | 84mm | 30mm SQ | | | SHEARER, CONNOR SHEA NAPIER, IN- TERNATIONAL HARVESTER | 10.8 | |
| A-DI093 | 5mm | sc | 84mm | 70mm RND | 6 x 17.5mm | 56.4mm | CONNER SHEA, BABY GIANT, DOD | 10.8 | |
| A-DI094C | 5mm | SC | 68mm | 39mm & 41mm SQ | | | SHEARER, HORWOOD BAGSHAW, INTERNATIONAL HARVESTER, CONNOR | 10.8 | |
| A-DI099 | 6mm | SC | 75mm | 70mm RND | 4 x 18.3mm | 68.5mm | GRIZZLY GRUMP, KLINE SPEED TILLER | 13.6 | |
| A-DI0100C | 6mm | SC | 75mm | 30mm SQ | | Marie 1 | SHEARER, CONNOR SHEA NAPIER, BONEL | 13.6 | |

Email: paul@atcgroup.com.au Phone: 07 3285 7777 Mobile: 0448 588 433



| ATC Part Number | Thick mm | Туре | Dish mm | Centre Hole RND=Round SQ=Square NCH=No Hole FB=Flat Back | Radial Holes CSK=Counter sunk SQ=Square | PCR Pitch circle radius. | Applications | KG | Price Ea |
|--------------------|-------------|--------|------------|--|---|--------------------------------|--|------|----------|
| 24" Scallo | ped co | ntinue | d | | | | | | |
| A-DI0101C | 6mm | SC | 70mm | 39mm & 41mm SQ | | | SHEARER, CONNOR SHEA NAPIER, BONEL, JARRETT, GIBBONS RAWLINGS, INTERNATIONAL HARVESTER | 13.6 | |
| A-DI0102 | 6mm | SC | 70mm | 54mm & 60mm SQ | | | INTERNATIONAL HARVESTER 3-5 | 13.6 | |
| A-DI0103 | 6mm | SC | 80mm | 70mm RND | 6 x 18.3mm | 56.5mm | CONNER SHEA, BABY GIANT, DOD | 13.6 | /// |
| A-DI0104 | 6mm | SC | 80mm | 70mm RND | 6 x 22mm | 95mm | CONNER SHEA, LITTLE GIANT, BONEL, ENNOR | 13.6 | |
| A-DI0105C | 6mm | SC | 80mm | 39mm & 41mm SQ | | | CONNOR SHEA NAPIER, JARRETT, TAYORWAY | 13.6 | |
| A-DI0106 | 6mm | SC | 80mm | 46mm RND | | | MILLER, DELMADE, SHEARER, BALDAN, SUNFLOWER | 13.6 | |
| A-2461SFB | 6mm | SC | 66mm | NCH Flat | 6 x 13mm | 62.5mm | HORSCH JOKER | 13.6 | |
| A-248SFB | 6mm | SC | 61mm | NCH Flat | 5 X 14mm | 56.5mm | SIMBA | 13.6 | 11/ |
| A-DI0107 | 6mm | SC | 80mm | 100mm RND | 6 x 22mm | 92.5mm | GRIZZLY S SERIES | 13.6 | 1/8 |
| A-DI0109 | 6mm | SC | 70mm | 39mm SQ FB | | | INTERNATIONAL HARVESTER 596 | 13.6 | |
| A-DI0112 | 6mm | SC | 80mm | 33mm SQ & 39mm RND | | 111/2 | UNABEAM, JOHN DEERE 331 | 13.6 | |
| A-2462SFB | 6mm | SC | 67mm | NCH Flat | 4 X 13.5mm | 66.5mm | DEGELMAN | 13.6 | |
| 26" Plain | | 9,7 | | 1.00 | | | | | |
| A-DI0117 | 5mm | Plain | 100mm | 28.6mm RND | 5 x 12mm SQ | 104.77mm | MASSEY FURGUSON | 14.6 | |
| A-DI0118 | 5mm | Plain | 100mm | 32mm SQ | 4 x 13.5mm | 115mm | CONNOR SHEA NAPIER 570, | 14.6 | |
| A-DI0119 | 5mm | Plain | 100mm | 33mm SQ | | | CHAMBERLAIN | 14.6 | |
| A-DI0121C | 5mm | Plain | 100mm | 39mm & 41mm SQ | | | INTERNATIONAL HARVESTER, SHEARER, JARRETT, CONNOR SHEA NAPIER 570, GIBBONS RAWLINGS, SOVEREIGN | 14.6 | |

All pricing is shown as exclusive of GST. Items are not sold as original equipment parts.



| ATC Part Number | Thick mm | Туре | Dish mm | Centre Hole RND=Round SQ=Square NCH=No Hole FB=Flat Back | Radial Holes CSK=Counter sunk SQ=Square | PCR Pitch circle radius. | Applications | KG | Price Ea |
|--------------------|-------------|--------|------------|--|---|--------------------------------|---|------|----------|
| 26" Plain c | ontinu | ied | | | | | | | |
| A-DI0122 | 5mm | Plain | 100mm | 21mm RND | 6 x 13mm CSK | 82.5mm | SHEARER 5GP | 14.6 | |
| A-DI0123 | 5mm | Plain | 100mm | 25mm RND | 3 X 17mm SQ | 92mm | CONNOR SHEA SERIES 4 | 14.6 | |
| A-DI0124C | 6mm | Plain | 88mm | 30mm & 33mm SQ | | | BONEL, CONNOR SHE NAPIER, CHAMBERLAIN, TAYLORWAY | 16.2 | |
| A-DI0125 | 6mm | Plain | 88mm | 78mm RND | 6 x 22mm | 95mm | CONNOR SHEA, LITTLE GIANT, BONEL, ENNOR | 16.2 | |
| A-DI0126C | 6mm | Plain | 100mm | 39mm & 41mm SQ | | | COONOR SHEA 563, 604, JARRETT, TAYLORWAY | 16.2 | |
| A-DI0164 | 6mm | Plain | 100mm | 21mm RND | 6 x 13mm CSK | 82.5mm | SHEARER 5GP | 16.2 | |
| 26" Labrac | dor—F | luted | | 3111 | | | | | |
| A-DIO137CLA | 6mm | Fluted | 90mm | 70mm RND | 4 x 18.3mm | 68.5mm | GRIZZLY GRUMPY | 15.6 | |
| A-DI0139CLA | 6mm | Fluted | 90mm | 100mm RND | 6 x 22mm | 92.5mm | GRIZZLY S SERIES, BELMAC | 15.6 | |
| A-DI0140CLA | 6mm | Fluted | 90mm | 78mm RND | 6 x 22mm | 95mm | CONNOR SHEA, LITTLE GIANT, BONEL, ENNOR | 15.6 | |
| A-DI0141CLA | 6mm | Fluted | 90mm | 39mm & 41mm SQ | | | JARRETT, GIBBONS RAWLINGS, SHEAR- ER, BONEL, CONNOR SHEA NAPIER 670 & 730 | 15.6 | |
| A-DI0143CLA | 6mm | Fluted | 90mm | 54mm & 60mm SQ | | | INTERNATIONAL HARVESTER 3-5, SHEARER 700 | 15.6 | |
| A-DI0144CLA | 6mm | Fluted | 90mm | 70mm RND | 6x 18.3mm | 56.5mm | CONNOR SHEA, BABY GIANT & DOD | 15.6 | |
| A-DI0146CLA | 6mm | Fluted | 90mm | 46mm RND | | | MILLER, DELMADE, SHEARER, BALDAN | 15.6 | |
| A-DI0160CLA | 6mm | Fluted | 90mm | 30mm & 33mm SQ | | | JOHN DEERE, ENNOR | 15.6 | |
| A-DI0161CLA | 6mm | Fluted | 90mm | 39mm SQ FB | | | INTERNATIONAL HARVESTER 596, 770 | 15.6 | |
| A-2064WFB | 6mm | Fluted | 90mm | NCH Flat | 4 x 13.5mm | 66.5mm | DEGELMAN | 15.6 | |
| A-DI0150CLA | 8mm | Fluted | 90mm | 54mm & 60mm SQ | | | INTERNATIONAL HARVESTER 3-5, SHEARER 700 | 20.8 | |

References to OEM brands and part numbers are for identification purposes only. Items are not sold as original equipment parts.



| ATC Part Number | Thick mm | Туре | Dish mm | Centre Hole RND=Round SQ=Square NCH=No Hole FB=Flat Back | Radial Holes CSK=Counter sunk SQ=Square | PCR Pitch circle radius. | Applications | KG | Price Ea |
|--------------------|-------------|---------|------------|--|---|--------------------------------|---|------|----------------|
| 26" Labrad | dor—F | luted c | ontinue | d | | | | | |
| A-DI0151CLA | 8mm | Fluted | 90mm | 100mm RND | 6 x 22mm | 92.5mm | GRIZZLY S SERIES, BELMAC | 20.8 | |
| A-DI0152CLA | 8mm | Fluted | 90mm | 52mm RND | | | EZEE-ON, STEIGER, COUNTRYWIDE | 20.8 | |
| A-DI0153CLA | 8mm | Fluted | 90mm | 78mm RND | 6 x 22mm | 95mm | BONEL, CONNOR SHEA, LITTLE GIANT, ENNOR | 20.8 | |
| A-DI0154CLA | 8mm | Fluted | 90mm | 39mm & 41mm SQ | | | CONNOR SHEA NAPIER, JARRETT, GIBBONS RAWLINGS | 20.8 | |
| A-DI0155CLA | 8mm | Fluted | 90mm | 58mm RND | | | KELLOW | 20.8 | |
| A-DI0162CLA | 8mm | Fluted | 90mm | 39mm SQ FB | | | INTERNATIONAL HARVESTER 596, 770 | 20.8 | |
| A-DI0163CLA | 8mm | Fluted | 90mm | 46mm RND | | | MILLER, DELMADE, SHEARER, BALDAN | 20.8 | |
| A-DI0167LA | 8mm | Fluted | 90mm | 43mm RND | | | TATU OFFSET | 20.8 | |
| 26" Scallo | ped | | | 1 /3 | | | | | |
| A-DI0137 | 6mm | SC | 88mm | 70mm RND | 4 x 18.3mm | 68.5mm | GRIZZLY GRUMPY | 15 | |
| A-DI0139 | 6mm | SC | 88mm | 100mm RND | 6 x 22mm | 92.5mm | GRIZZLY S SERIES, BELMAC | 15 | |
| A-DI0140 | 6mm | SC | 88mm | 78mm RND | 6 x 22mm | 95mm | CONNOR SHEA, LITTLE GIANT, BONEL, ENNOR | 15 | |
| A-DI0141C | 6mm | SC | 88mm | 39mm & 41mm SQ | | | JARRETT, GIBBONS RAWLINGS, SHEARER, BONEL, CONNOR SHEA NAPIER 670 & 730 | 15 | |
| A-DI0142C | 6mm | SC | 70mm | 39mm & 41mm SQ | | | JARRETT, TAYLORWAY | 15 | |
| A-DI0143C | 6mm | SC | 88mm | 54mm & 60mm SQ | | | INTERNATIONAL HARVESTER 3-5, SHEARER 700 | 15 | AF. |
| A-DIO144 | 6mm | SC | 88mm | 70mm RND | 6x 18.3mm | 56.5mm | CONNOR SHEA, BABY GIANT & DOD | 15 | , ,,,,, |
| A-DI0146 | 6mm | SC | 88mm | 46mm RND | | | MILLER, DELMADE, SHEARER, BALDAN | 15 | |
| A-DI0147 | 6mm | SC | 100mm | 39mm & 41mm SQ | | | KUHN DISCOVER XS, XM, XL | 15 | |

Email: paul@atcgroup.com.au Phone: 07 3285 7777 Mobile: 0448 588 433



| ATC Part Number | Thick mm | Туре | Dish mm | Centre Hole RND=Round SQ=Square NCH=No Hole FB=Flat Back | Radial Holes CSK=Counter sunk SQ=Square | PCR Pitch circle radius. | Applications | KG | Price Ea |
|--------------------|-------------|---------|------------|--|---|--------------------------------|---|------|----------|
| 26" Scallop | ed co | ntinued | | | | | | | |
| A-DI0160C | 6mm | SC | 100mm | 30mm & 33mm SQ | | | JOHN DEERE, ENNOR | 15.6 | |
| A-DI0161 | 6mm | SC | 81mm | 39mm SQ FB | | | INTERNATIONAL HARVESTER 596, 770 | 15.6 | |
| A-DI0150C | 8mm | SC | 88mm | 54mm & 60mm SQ | | | INTERNATIONAL HARVESTER 3-5, SHEARER 700 | 20.8 | |
| A-DI0151 | 8mm | SC | 88mm | 100mm RND | 6 x 22mm | 92.5mm | GRIZZLY S SERIES, BELMAC | 20.8 | |
| A-DI0152 | 8mm | SC | 88mm | 52mm RND | | | EZEE-ON, STEIGER, COUNTRYWIDE | 20.8 | |
| A-DI0153 | 8mm | SC | 88mm | 78mm RND | 6 x 22mm | 95mm | BONEL, CONNOR SHEA, LITTLE GIANT, ENNOR | 20.8 | |
| A-DI0154C | 8mm | SC | 88mm | 39mm & 41mm SQ | | | CONNOR SHEA NAPIER, JARRETT, GIBBONS RAWLINGS | 20.8 | |
| A-DI0155 | 8mm | SC | 100mm | 58mm RND | | | KELLOW | 20.8 | |
| A-DI0162 | 8mm | SC | 81mm | 39mm SQ FB | | | INTERNATIONAL HARVESTER 596, 770 | 20.8 | |
| A-DI0163 | 8mm | sc | 88mm | 46mm RND | | | MILLER, DELMADE, SHEARER, BALDAN | 20.8 | |
| A-DI0167 | 8mm | SC | 100mm | 43mm RND | | | TATU OFFSET | 20.8 | |
| 28" Plain | | | | | | | | | |
| A-DI0163 | 6mm | Plain | 105mm | 28.6mm RND | 5 x 12mm CSK | 104.77mm | MASSEY FERGUSON | 19.6 | |
| A-DI0165 | 6mm | Plain | 105mm | 32mm SQ | 4 x 13.5mm | 115mm | CONNOR SHEA NAPIER, BONEL, | 19.6 | |
| 28" Labrad | or—Fl | uted | | | | | | | |
| A-DI0167CLA | 6mm | Fluted | 105mm | 39mm & 41mm SQ | | | CONNOR SHEA NAPIER, SHEARER, BONEL. JARRETT, HODGE | 18.6 | |
| A-DIO168CLA | 6mm | Fluted | 105mm | 100mm RND | 6 x 22mm | 92.5mm | GRIZZLY S SERIES | 18.6 | |
| A-DI0170CLA | 6mm | Fluted | 105mm | 78mm RND | 6 x 22mm | 95mm | BONEL, ENNOR | 18.6 | |
| A-DI0185CLA | 6mm | Fluted | 105mm | 54mm & | | | INTERNATIONAL HARVESTER 3-5, | 18.6 | |
| A-DI0169CLA | 8mm | Fluted | 105mm | 100mm RND | 6 x 22mm | 92.5mm | GRIZZLY S SERIES, BELMAC | 25.2 | |
| A-DI0171CLA | 8mm | Fluted | 105mm | 78mm RND | 6 x 22mm | 95mm | BONEL, ENNOR | 25.2 | |

30 day trading account available to approved applicants. Contact Paul for an account application form. Email: paul@atcgroup.com.au



| ATC Part Number | Thick mm | Туре | Dish mm | Centre Hole RND=Round SQ=Square NCH=No Hole FB=Flat Back | Radial Holes CSK=Counter sunk SQ=Square | PCR Pitch circle radius. | Applications | KG | Price Ea |
|--------------------|-------------|---------|------------|--|---|--------------------------------|---|------|----------|
| 28" Labrad | or—Flu | ited co | ntinued | | | | | | |
| A-DI0175CLA | 8mm | Fluted | 105mm | 39mm & 41mm SQ | | | CONNOR SHEA NAPIER, JARRETT, HODGE, BONEL | 25.2 | |
| A-DI0177CLA | 8mm | Fluted | 105mm | 46mm RND | | | DELMADE, BALDEN | 25.2 | |
| A-DI0178CLA | 8mm | Fluted | 105mm | 52mm RND | | | COUNTRY WIDE, EZEEON, STEIGER, MILLER | 25.2 | |
| A-DI0179CLA | 8mm | Fluted | 105mm | 39mm SQ FB | | | INTERNATIONAL HARVESTER 770 | 25.2 | |
| A-DI0183CLA | 8mm | Fluted | 105mm | 43mm RND | | | TATU OFFSET | 25.2 | |
| 28" Scallop | ed | | 73// | | | 1/1/ | | | |
| A-DI0166C | 6mm | SC | 70mm | 39mm & 41mm SQ | | | TAYLORWAY, HODGE | 17.7 | |
| A-DI0167C | 6mm | SC | 92mm | 39mm & 41mm SQ | | | CONNOR SHEA NAPIER, SHEARER, BONEL. JARRETT, HODGE | 17.7 | |
| A-DIO168C | 6mm | sc | 110mm | 100mm RND | 6 x 22mm | 92.5mm | GRIZZLY S SERIES | 17.7 | 1/2 |
| A-DI0170C | 6mm | SC | 110mm | 78mm RND | 6 x 22mm | 95mm | BONEL, ENNOR | 17.7 | |
| A-DI0185C | 6mm | SC | 92mm | 54mm & 60mm SQ | | 1// | INTERNATIONAL HARVESTER 3-5, SHEARER 700 | 17.7 | |
| A-DI0179-6 | 6mm | SC | 92mm | 39mm SQ FB | | | INTERNATIONAL HARVESTER 770 | 17.7 | |
| A-DI0171 | 8mm | SC | 110mm | 78mm RND | 6 x 22mm | 95mm | BONEL, ENNOR | 25.2 | |
| A-DI0169 | 8mm | SC | 110mm | 100mm RND | 6 x 22mm | 92.5mm | GRIZZLY S SERIES, BELMAC | 25.2 | |
| A-DI0175C | 8mm | sc | 92mm | 39mm & 41mm SQ | | | CONNOR SHEA NAPIER, JARRETT, HODGE, BONEL | 25.2 | |
| A-DI0177 | 8mm | SC | 92mm | 46mm RND | | | DELMADE, BALDEN | 25.2 | н. |
| A-DI0178C | 8mm | SC | 105mm | 52mm RND | 477 | | COUNTRY WIDE, EZEEON, STEIGER, MILLER | 25.2 | |
| A-DI0179C | 8mm | SC | 105mm | 39mm SQ FB | | 1.5% | INTERNATIONAL HARVESTER 770 | 25.2 | |
| A-DI0183C | 8mm | SC | 105mm | 43mm RND | 1000 | | TATU OFFSET | 25.2 | |
| A-DI028102SB | 10mm | SC | 104mm | 100mm RND | 6 x 22mm | 92.5mm | GRIZZLY S SERIES, BELMAC | 30 | |

All pricing is shown as exclusive of GST. Items are not sold as original equipment parts



| ATC Part Number | Thick mm | Туре | Dish mm | Centre Hole RND=Round SQ=Square NCH=No Hole FB=Flat Back | Radial Holes CSK=Counter sunk SQ=Square | PCR Pitch circle radius. | Applications | KG | Price Ea |
|--------------------|-------------|------|------------|--|---|--------------------------------|-----------------------------|------|----------|
| 30" Scallor | oed | 19 | | | | | | | |
| A-DI0187 | 8mm | SC | 105mm | 100mm RND | 6 x 22mm | 92.5mm | GRIZZLY S SERIES | 27 | |
| 32" Scallo | ped | | | | | | | | |
| A-DI0190 | 8mm | SC | 122mm | 45mm SQ FB | | | INTERNATIONAL HARVESTER 780 | 30.6 | |
| A-DI0208 | 8mm | SC | 122mm | 78mm RND | 6 x 22mm | 95mm | ENNOR | 30.6 | |
| A-DI0193C | 10mm | SC | 112mm | 59mm SQ & 62mm RND | | | ALFARM 080, TOWNER 620 | 39 | |
| A-DI0199S | 10mm | SC | 122mm | 100mm RND | 6 x 22mm | 92.5mm | GRIZZLY S SERIES | 39 | |
| A-DI032210 | 10mm | SC | 122mm | 78mm | 6 x 22mm | 95mm | ENNOR | 39 | |
| A-DI0195 | 12mm | SC | 122mm | 65mm SQ | | | CONNOR SHEA, GIANT | 50 | |
| A-DI0196C | 12mm | SC | 122mm | 59mm SQ & 62mm RND | | | ALFARM 080, TOWNER 620 | 50 | |
| 36" Scallo | ped | | | | | 11/1/1 | | | |
| A-DI208 | 12mm | SC | 130mm | 64mm RND | 6 x 18mm CSK | 127mm | SAVANNAH | 63 | |
| A-36122SB | 12mm | SC | 123mm | 100mm RND | 6 x 22mm | 92.5mm | GRIZZLY TINY 290, 390 | 63 | 1/1/2 |







ATC's plain, labrador "fluted", and scalloped discs are manufactured from boron steel that delivers a Rockwell hardness up to an astonishing 52 Rc without causing brittleness or loss of elasticity. Compared to high carbon steel discs, there's just no comparison. When discs hit hard objects that they can't cut, it has to yield the right way. It's important for discs to be engineered for the ideal compromise between hardness and flexibility. The discs ATC supply are continually tested for flexibility and have the ability to withstand stress and fractures.

Email: paul@atcgroup.com.au Phone: 07 3285 7777 Mobile: 0448 588 433



Coulters available in plain, radial, wavy and fluted styles.



| ATC Part Number | Thick mm | Туре | Centre Hole RND=Round SQ=Square NCH=No Hole FB=Flat Back | Radial Holes CSK=Counter sunk SQ=Square | PCR Pitch circle radius. | Applications | KG | Price Ea |
|--------------------|-------------|-----------------|--|---|--------------------------------|-----------------------------|-----|-------------------|
| Coulters 11 1 | /4" | | | | | | | |
| A-CO6100 | 4mm | Double Bevel | 72mm RND | 5 x 9mm | 48mm | Connor Shea 470 drill | 1.7 | |
| A-CO6151 | 4mm | Double Bevel | 45mm RND | 5 x 7mm | 48mm | Aitchison | 1.7 | |
| Coulters 12" | | | | 3/// | | | | 7// |
| A-CO6242 | 3mm | Double Bevel | 49.2mm RND | 6 x 6.3mm | 36.5 | Bettinson | 1.8 | 199 |
| Coulters 12 1 | /2" | | | | 7.3 | | | |
| A-CO6281 | 3mm | Double | 52mm RND | 8 x 10mm | 47.5mm | Duncan Clough | 1.8 | |
| A-6281R | 3mm | 38 Ripples | 52mm RND | 8 x 10mm | 47.5mm | Duncan Clough | 1.8 | |
| A-CO1208T | 3mm | 25 Waves | 52mm RND | 8 x 10mm | 47.5mm | Duncan Clough | 1.8 | |
| Coulters 13" | 4.7 | | | 11 /1 | | | | |
| A-CO6337 | 5mm | Double Bevel | 50mm RND | 7 x 7mm | 50.5mm | Shearer | 3.7 | <i>.</i> |
| Coulters 13 1 | ./2" | | | | | | | Ι _Α Ε. |
| A-CO6336 | 3mm | Double Bevel | 72mm RND | 5 x 9mm | 48mm | Connor Shea 470, 8000 Drill | 2 | |
| | | 7 | | | 11/1 | | | |

References to OEM brands and part numbers are for identification purposes only. Items are not sold as original equipment parts.

atc group

| ATC Part Number | Thick mm | Туре | Centre Hole RND=Round SQ=Square NCH=No Hole FB=Flat Back | Radial Holes CSK=Counter sunk SQ=Square | PCR Pitch circle radius. | Applications | KG | Price Ea |
|--------------------|-------------|---------------------------|--|---|--------------------------------|--|-----|----------|
| Coulters 14" | | | | | | | | |
| A-CO6350 | 3mm | Single Bevel | 49.2mm RND | 6 x 6.35mm | 36.5mm | Bettinson | 2.4 | |
| A-CO6357 | 4mm | Double Bevel | 64mm RND | 5 x 14mm | 54mm | HT Holden Hub | 3.2 | |
| Coulters 15" | | | | | | | | dista |
| A-CO6380 | 3mm | Single Bevel | 30mm RND | 6 x 8mm | 37.2mm | CJD & Kinze Planters | 3.5 | 1.0 |
| A-CO1504 | 4mm | Single Bevel | 38.5mm RND | 6 x 8.3mm | 38.1mm | PHM | 3.6 | |
| A-CO1504S | 4mm | Single Bevel Scalloped | 38.5mm RND | 6 x 8.3mm | 38.1mm | PHM | 3.6 | |
| A-CO1505 | 4mm | Single Bevel | 60mm RND | 6 x 10mm | 45mm | Sow Ezy | 3.6 | |
| A-CO1505S | 4mm | Single Bevel Scalloped | 60mm RND | 6 x 10mm | 45mm | Sow Ezy | 3.6 | |
| A-CO1506 | 4mm | Single Bevel | NCH | 6 x 8mm | 35mm | Horsch Serto | 3.6 | |
| Coulters 16" | | | | | | | | |
| A-CO6425 | 3mm | Single Bevel | 25mm RND | 6 x 7mm | 36.5mm | Mason planter, Excel Planter | 3.2 | |
| A-CO6407 | 4mm | Double Bevel | 64mm RND | 5 x 14mm | 54mm | HT Holden Hub | 4.2 | |
| A-CO6424 | 4mm | Single Bevel | 25mm RND | 6 x 7mm | 36.5mm | Mason planter, Excel Planter | 4.2 | |
| A-CO6426 | 4mm | Single Bevel | 45mm RND | 4 x 10.5mm | 38mm | Excel Planter | 4.2 | |
| A-CO6430 | 4mm | Single Bevel | 75mm RND | 5 x 13mm SQ | 54mm | Excel Stubble Warrior | 4.2 | |
| A CO6433 | 4mm | Single Bevel | 75mm RND | 5 x 13.5mm | 54mm | Excel Stubble Warrior | 4.2 | |
| A-CO6434 | 4mm | Single Bevel | 75mm RND | 5 x 13.5mm CSK | 54mm | Excel Stubble Warrior (Radial holes CSK) | 4.2 | |
| A-CO1635W | 4mm | Fluted | 64mm RND | 5 x 14mm | 54mm | HT Holden Hub | 4.2 | N. B. |
| A-CO1635D2 | 4mm | 20 Wave | 64mm RND | 5 x 14mm | 54mm | HT Holden Hub | 4.2 | What. |

Email: paul@atcgroup.com.au Phone: 07 3285 7777 Mobile: 0448 588 433



| ATC Part Number | Thick mm | Туре | Centre Hole RND=Round SQ=Square NCH=No Hole FB=Flat Back | Radial Holes CSK=Counter sunk SQ=Square | PCR Pitch circle radius. | Applications | KG | Price Ea |
|--------------------|-------------|--------------|--|---|--------------------------------|--|-----|----------|
| Coulters 17.5 | , | | | | | | | |
| A-CO6438 | 4mm | 8 Wave | 89mm RND | 4 x 14.3mm | 66.7mm | Gyral Planter | 4.5 | 2.7/ |
| Coulters 17.7 | " and 1 | 8" | | | | | | |
| A-CO6440 | 4mm | 12 Wave | 64mm RND | 5 x 14mm | 54mm | HT Holden Hub | 5.5 | |
| A-CO6441 | 4mm | 24 Wave | 64mm RND | 5 x 14mm | 54mm | HT Holden Hub | 5.5 | |
| A-CO6457 | 4mm | Double Bevel | 64mm RND | 5 x 14mm | 54mm | HT Holden Hub | 5.5 | |
| A-CO6473 | 4mm | 50 Ripples | 64mm RND | 5 x 14mm | 54mm | HT Holden Hub | 5.5 | |
| A-CO1860D2 | 4mm | 20 Wave | 64mm RND | 5 x 14mm | 54mm | HT Holden Hub | 5.5 | |
| A-CO6461 | 4mm | 12 Wave | 101.6mm RND | 4 x 13.5mm | 66.7mm | Great Plains | 6 | |
| A-CO1880D2 | 4mm | 20 Wave | 101.6mm RND | 4 x 13.5mm | 66.7mm | Great Plains | 6 | |
| A-CO6472 | 6mm | Single Bevel | 64mm RND | 5 x 14mm | 54mm | HT Holden Hub | 7 | |
| A-CO6480 | 5mm | Single Bevel | 77mm RND | 4 x 10.3mm | 55.85mm | John Deere, Grays Planter | 6.5 | |
| A-CO6481 | 5mm | Single Bevel | 92.7mm | 4 x 15.8mm | 63.5mm | Flexicoil Disc Openers, Boss, Pillar | 6.5 | |
| A-CO6482 | 6mm | Single Bevel | 77mm RND | 4 x 10.3mm | 55.85mm | John Deere, Grays and Ingersoll Planters | 7 | |
| Coulters 20" | and 21 | ,, | | | | | | |
| A-CO6507 | 4mm | Double Bevel | 64mm RND | 5 x 14mm | 54mm | HT Holden Hub | 6.7 | |
| A-CO2060D2 | 5mm | 20 Wave | 64mm RND | 5 x 14mm | 54mm | HT Holden Hub | 6.7 | |
| A-CO6522 | 6mm | Double Bevel | 64mm RND | 5 x 14mm | 54mm | HT Holden Hub | 9.5 | |
| A-CO6523 | 6mm | Single Bevel | 64mm RND | 5 x 14mm | 54mm | Janke, Gessner Root Cutter, Austil | 9.5 | |
| A-CO6530 | 6mm | Double Bevel | 81mm RND | 5 x 13mm | 54mm | HT Holden Hub, Excel | 9.5 | |

30 day trading account available to approved applicants. Contact Paul for an account application form. Email: paul@atcgroup.com.au



| ATC Part Number | Thick mm | Туре | Centre Hole RND=Round SQ=Square NCH=No Hole FB=Flat Back | Radial Holes CSK=Counter sunk SQ=Square | PCR Pitch circle radius. | Applications | KG | Price Ea |
|--------------------|-------------|--------------|--|---|--------------------------------|----------------------------------|----|----------|
| Coulters 24" | | | | | | | | |
| A-CO6624 | 6mm | Double Bevel | 102mm RND | 5 x 16mm | 70mm | Noble Blade Plough | 12 | |
| A-CO6627 | 6mm | Double Bevel | 64mm RND | 5 x 14mm | 54mm | HT Holden Hub, Tobin Speed Drill | 12 | |
| A-CO2440 | 8mm | Single Bevel | 95mm RND | 4 x 13mm | 63.5mm | Mine - Daybreak | 16 | 1 |
| Coulters 26" | | | | | | | | |
| A-CO6667 | 6mm | Double Bevel | 46mm RND | 4 x 18mm | 82.5mm | Hodge | 18 | |
| A-CO6668 | 6mm | Double Bevel | 52mm RND | 4 x 14mm | 82.5mm | Hodge | 18 | |
| A-CO6672 | 8mm | Single Bevel | 108mm RND | 6 x 14mm | 70.mm | Excel | 24 | |
| Coulters 30" | | | | | | | | |
| A-CO6776 | 9mm | Double Bevel | 46mm RND | 4 x 18mm | 82.5mm | Hodge | 37 | |
| A-CO6777 | 9mm | Double Bevel | 108mm RND | 6 x 14mm | 70mm | Excel | 37 | |

Coulter Types: Plain, Wave, Fluted, Radial


8 wave coulters are suitable for sandy soils because of its waves and great tilled strip width. These do require effort for soil penetration.


12 wave coulters are suitable for sandy, very damp and sticking soils. Less vertical effort to penetrate into the ground than a 8 wave coulter.


25 wave fluted and radial coulters suitable for clay soils regularly used for minimum till. Less effort for soil penetration, good performance cutting straw.


20 wave radial coulters provides excellent vertical cutting of residue good soil penetration and reduce soil stirring and narrow tilled strip.


50 wave fluted and 30 wave radial coulters used for planting grass on no till clayish soils. Good soil penetration, fluted great for straw cutting, superb rotating performance.











Email: paul@atcgroup.com.au Phone: 07 3285 7777 Mobile: 0448 588 433





Ground Engaging Wearparts

Points & Sweeps











ATC Group supply a range of GWT and Nicols points and sweeps. Each sweep is manufactured from high-quality hardened steel which results in significantly better wear resistance.

To provide you with the absolute best In wear life, ATC also supplies tungsten carbide hardfacing options on the full range of our tillage components.

Contact Paul for more details and pricing on our hardfaced applications.

Phone: 07 3285 7777 or Mobile 0448 588 433

Email: sales@atcgroup.com.au WEB www.atcgroup.com.au

| ATC Part No | Width | Thickness | Hole Size | Hole Centres | Suits | Price Ea |
|-------------|-------|-----------|-----------|---------------------|---|----------|
| A-CP31SL1 | 40mm | 12mm | 2 x 7/16" | 50mm | IH, Vibrashank and MF | |
| A-CP31SL2 | 40mm | 16mm | 2 x 7/16" | 50mm | IH, Vibrashank and MF | |
| A-CP31SL3 | 50mm | 16mm | 2 x 7/16" | 50mm | Massey, Pioneer, McKay coil tines | |
| A-CP31SL4 | 65mm | 16mm | 2 x 7/16" | 50mm | Massey, Pioneer, McKay coil tines | |
| A-CP31H | 40mm | 12mm | 3 x 9/16" | 50mm | Howard | |
| A-CP31F2 | 50mm | 8mm | 2 x 7/16" | 44mm-51mm | MF, Tiller, David Brown coil tines | 100 |
| A-CP31F21/2 | 64mm | 8mm | 2 x 7/16" | 44mm-51mm | MF, Tiller, David Brown coil tines | |
| A-CP12640 | 64mm | 10mm | 2 x 7/16" | 44mm-51mm | 25mm and 32mm coil | |
| A-CP31SH | 50mm | 16mm | 2 x 9/16" | 76mm | Shearer Trashworker, Econdraft, Ford | |
| A-CP31SHH | 50mm | 20mm | 2 x 9/16" | 76mm | Shearer Trashworker, Econdraft, Ford | |
| A-CP31CS | 64mm | 12mm | 2 x 1/2" | 63.5mm | Connor Shea | |
| A-CP31DJ | 50mm | 12mm | 2 x 1/2" | 57mm | JD, Morris, Gason, various Nth American | |
| A-CP31M | 50mm | 16mm | 2 x 1/2" | 57mm | JD, Morris, Gason, various Nth American | |
| A-CP31MH | 50mm | 20mm | 2 x 1/2" | 57mm | JD, Morris, Gason, various Nth American | |
| A-CP31JB | 64mm | 12mm | 2 x 1/2" | 57mm | Berends, Jarrett, Yeoman and Bonel | |
| A-CP31MG3 | 75mm | 19mm | 2 x 5/8" | 57mm | Gessner | 1111 |



A-CP31SL Style



A-CP31SH / A-CP31MH Style



A-CP12640 / A-CP31F Style

ATC supply points as standard replacement parts or tungsten carbide hardfaced parts for the very best in wear life. Contact Paul for pricing on our hardfaced applications.

Email: paul@atcgroup.com.au Phone: 07 3285 7777 Mobile: 0448 588 433



| ATC Part No | Width | Thickness | Hole Size | Hole Centres | Suits | Price Ea |
|-------------|-------|-----------|-----------|---------------------|---------|-------------|
| A-RP01341 | 75mm | 16mm | 2 x 1/2" | 51mm | Various | |
| A-RP01344 | 75mm | 19mm | 2 x 1/2" | 51mm | Various | |
| A-RP01345 | 75mm | 16mm | 2 x 1/2" | 63mm | Various | 1000 |
| A-RP01348 | 75mm | 16mm | 2 x 1/2" | 70mm | Various | |
| A-RP01349 | 64mm | 19mm | 4 x 1/2" | 51mm-112mm | Various | 131 / /// |
| A-RP06275 | 75mm | 19mm | 4 x 1/2" | 51mm-112mm | Various | 10-74-74-74 |
| A-RP01352 | 75mm | 16mm | 2 x 1/2" | 70mm | Various | |
| A-RP01353 | 75mm | 25mm | 2 x 1/2" | 115mm | Various | |

ATC supply points as standard replacement or tungsten carbide hardfaced for the very best in wear life. Contact Paul for pricing on our hardfaced applications.



| 51U Universa | Boit on | Points 38 D | egree | 14/1/19 |
|--------------|---------|-------------|---|----------|
| ATC Part No | Size | Thickness | Suits | Price Ea |
| A-UBOP21/2 | 2/12" | 6mm | Plain suits Shearer, Ford, Gyral, various | 7// |
| A-UBOP4 | 4" | 6mm | Dart suits Shearer, Ford, Gyral, various | |
| A-UBOP5 | 5" | 6mm | Dart suits Shearer, Ford, Gyral, various | |
| A-UBOP6 | 6" | 6mm | Dart suits Shearer, Ford, Gyral, various | |
| A-UBOP7 | 7" | 6mm | Dart suits Shearer, Ford, Gyral, various | |
| A-UBOP8 | 8" | 6mm | Dart suits Shearer, Ford, Gyral, various | 77-7 |



| Crush Head Bolt & No | ut to suit 61U Points |
|----------------------|-----------------------|
| F-CHB13/4 x7/16 | 1 3/4" x 7/16" |
| F-CHB17/8x7/16 | 1 7/8" x 7/16" |
| F-CHB21/8x7/16 | 2 1/8" x 7/16" |





All pricing is shown as exclusive of GST.

30 day trading account available to approved applicants. Contact Paul for an account application form. Email: paul@atcgroup.com.au

| 43 Degree bo | It on C | ultivat | or Sweeps | | | |
|--------------|----------|---------|-------------------|----------------|---|----------|
| ATC Part No | Width | Thick | Bolt Holes | Centres | Suits | Price Ea |
| A-CPS60606 | 6" | 8mm | 2 x 7/16" | 44mm | IHC, Vibrashank, Verstile, AFM, | |
| A-CPS60608 | 8" | 8mm | 2 x 7/16" | 44mm | Gyral, Janke. Suit 43 degree tynes. Can use either 7/16" or | |
| A-CPS606010 | 10" | 8mm | 2 x 7/16" | 44mm | 1/2" plough bolts. | |
| 43 Degree bo | lt on Cı | ultivat | or SUPA W | /ing Sweeps | | |
| A-CPS43010SW | 10" | 8mm | 2 x 7/16" | 44mm | AFM, Gyral Penetrator, Janke | |
| A-CPS43012SW | 12" | 8mm | 2 x 7/16" | 44mm | and various. 43 degree tynes. Can use either 7/16" or 1/2" | |
| A-CPS43014SW | 14" | 8mm | 2 x 7/16" | 44mm | plough bolts. | |
| Bolt on Swee | ps suit | 3PL Cu | ıltivators u | ising Coil Tyn | es | |
| A-CPS53006 | 6" | 6mm | 2 x 7/16" | 44mm-51mm | Ford Crown, Harvey, MF, | |
| A-CPS53008 | 8" | 6mm | 2 x 7/16" | 44mm-51mm | Pioneer, Agpoint, ASP coil tynes. Use 7/16 plough bolts. | |
| A-CPS53010 | 10" | 6mm | 2 x 7/16" | 44mm-51mm | | |
| A-CPS53012 | 12" | 6mm | 2 x 7/16" | 44mm-51mm | | |
| 47 Degree Cu | ltivato | r & Air | Seeder Sv | veeps | | |
| A-CPS50508 | 8" | 8mm | 2 x 7/16" | 44mm | Flexi-coil, Bourgault, Horwood Bagshaw, Gason, Simplicity, IH | 100 |
| A-CPS50510 | 10" | 8mm | 2 x 7/16" | 44mm | Vibrashank, and various with 47 | |
| A-CPS50512 | 12" | 8mm | 2 x 7/16" | 44mm | degree tynes. Use 7/16" or 1/2" plough bolts. | |
| A-CPS50514 | 14" | 8mm | 2 x 7/16" | 44mm | | |
| 47 Degree Cu | ltivato | r SUPA | Wing Swe | eeps | | h 18 |
| | | 13 | | | Flexi-coil, Bourgault, Horwood | |
| A-CPS47010SW | 10" | 8mm | 2 x 7/16" | 44mm | Bagshaw, Gason, Simplicity, IH Vibrashank, and various with 47 | |
| A-CPS47012SW | 12" | 8mm | 2 x 7/16" | 44mm | degree tynes. Use 7/16" or 1/2" plough bolts. | |
| A-CPS47014SW | 14" | 8mm | 2 x 7/16" | 44mm | | 2000 |











Email: paul@atcgroup.com.au Phone: 07 3285 7777 Mobile: 0448 588 433



| 50 Degree bo | lt on Cl | nisel P | lough Swe | eps | | |
|--------------|----------|---------|-------------------|-----------|---|----------|
| ATC Part No | Width | Thick | Bolt Holes | Centres | Suits | Price Ea |
| A-CPS50008 | 8" | 8mm | 2 x 1/2" | 57mm | Versatile, John Deere, Alfarm, Gason, Gessner, Horwood | |
| A-CPS50010 | 10" | 8mm | 2 x 1/2" | 57mm | Bagshaw, Yeoman, AFM, | |
| A-CPS50012 | 12" | 8mm | 2 x 1/2" | 57mm | Hesston, Noble, Leon, Callow Big Rig, Bourgault, Flexi-Coil, | 44 |
| A-CPS50014 | 14" | 8mm | 2 x 1/2" | 57mm | Riteway, Morris. Suit 50 degree tynes. Use 1/2" plough bolts. | |
| A-CPS50016 | 16" | 8mm | 2 x 1/2" | 57mm | | |
| A-CPS50018 | 18" | 8mm | 2 x 1/2" | 57mm | | |
| 50 Degree bo | lt on Cl | nisel P | lough Supa | a Wing Sw | eeps | 1.77 |
| A-CPS50012SW | 12" | 8mm | 2 x 1/2" | 57mm | Versatile, John Deere, Riteway, Yeomans, AFM, Hesston, Noble, | |
| A-CPS50014SW | 14" | 8mm | 2 x 1/2" | 57mm | Leon, Flexi-coil. Suits 50 degree | 1.44 |
| A-CPS50016SW | 16" | 8mm | 2 x 1/2" | 57mm | tynes. Use 1/2" Plough Bolts. | |
| A-CPS50018SW | 18" | 8mm | 2 x 1/2" | 57mm | | |
| A-CP15916SW | 16" | 8mm | 2 x 9/16" | 76mm | Shearer Trashworker & Econdraft Banana Farming. Use | |
| A-CP15918SW | 18" | 8mm | 2 x 9/16" | 76mm | 9/16" Trashworker plough bolts. | |
| 50 Degree Pe | netrato | r Swe | eps | X III | -537 // W/W/ | |
| A-CPS50008PS | 8" | 8mm | 2 x 1/2" | 57mm | Penetrator style suits Versatile, John Deere, Yeoman, AFM, | |
| A-CPS50010PS | 10" | 8mm | 2 x 1/2" | 57mm | Hesston, Noble, Leon, Flesi-coil, Riteway. Use 1/2" plough bolts. | |
| A-CPS50010PS | 12" | 8mm | 2 x 1/2" | 57mm | niteway. Ose 1/2 plough bolts. | |
| A-CPS50012PS | 14" | 8mm | 2 x 1/2" | 57mm | | |
| A-CPS50014PS | 16" | 8mm | 2 x 1/2" | 57mm | | |
| A-CPS50016PS | 18" | 8mm | 2 x 1/2" | 57mm | | 73/ |







ATC supply points as standard replacement or tungsten carbide hardfaced for the very best in wear life. Contact Paul for pricing on our hardfaced applications.



| ATC Part No | Width | Thick | Bolt Holes | Centres | Suits | Price Ea |
|----------------|---------|---------|-------------------|---------|---|----------|
| A-CPS5012UW | 12" | 5/16" | 2 x 1/2" | 57mm | Versatile, John Deere, Riteway, Yeoman, AFM, Hesston, Noble, | |
| A-CPS5014UW | 14" | 5/16" | 2 x 1/2" | 57mm | Leon, Flexi-coil. 50 degree | |
| A-CPS5016UW | 16" | 5/16" | 2 x 1/2" | 57mm | tynes. Use 1/2" plough bolts. Genuine Nichols part. | |
| Shearer Trashw | orker S | Sweeps | s | | | |
| A-CPS15908TW | 8 | 8mm | 2 x 9/16" | 76mm | Shearer Trashworker and Econodraft, Banana Farming | |
| A-CPS15912TW | 12 | 8mm | 2 x 9/16" | 76mm | Co-Multiworker. Use 9/16" special plough bolts | |
| A-CPS15914TW | 14 | 8mm | 2 x 9/16" | 76mm | special plough boits | |
| A-CPS15916TW | 16 | 8mm | 2 x 9/16" | 76mm | | |
| A-CPS15918TW | 18 | 8mm | 2 x 9/16" | 76mm | | |
| Shearer Trashv | vorker | "Digge | r Style" Sw | veeps | | |
| A-CPS16411TWD | 11" | 8mm | 2 x 9/16" | 76mm | Shearer Trashworker and | |
| A-CPS16416TWD | 16" | 8mm | 2 x 9/16" | 76mm | Econodraft, Banana Farming Co-Multiworker. Use 9/16" | |
| A-CPS16418TWD | 18" | 8mm | 2 x 9/16" | 76mm | special plough bolts | |
| Shearer Trashv | vorker | Ultra V | Ving Swee | ps | | The |
| A-CPS5416TWU | 16" | 5/16" | 2 x 9/16" | 76mm | As Above | |
| A-CPS5418TWU | 18" | 5/16" | 2 x 9/16" | 76mm | | |









ATC supply points as standard replacement or tungsten carbide hardfaced for the very best in wear life. Contact Paul for pricing on our hardfaced applications.

Email: paul@atcgroup.com.au Phone: 07 3285 7777 Mobile: 0448 588 433



| CSK Plough Bot 8 | & Nut Sets | |
|------------------|----------------|----------|
| ATC Part No | Description | Price Ea |
| F-BPC7/16x13/4 | 7/16" x 1 3/4" | |
| F-BPC7/16x2 | 7/16" x 2" | |
| F-BPC7/16x21/4 | 7/16" x 2 1/4" | |
| F-BPC7/16x21/2 | 7/16" x 2 1/2" | |
| F-BPC7/16x3 | 7/16" x 3" | |
| F-BPC1/2x11/2 | 1/2" x 1 1/2" | |
| F-BPC1/2x13/4 | 1/2" x 1 3/4" | |
| F-BPC1/2x2 | 1/2" x 2" | |
| F-BPC1/2x21/4 | 1/2" x 2 1/4" | |
| F-BPC1/2x21/2 | 1/2" x 2 1/2" | |
| F-BPC1/2x3 | 1/2" x 3" | |
| F-BPC1/2x31/2 | 1/2" x 3 1/2" | |
| Crushed Head Bo | olt & Nut | |
| F-CHB13/4 x7/16 | 1 3/4" x 7/16" | |
| F-CHB17/8x7/16 | 1 7/8" x 7/16" | |
| F-CHB21/8x7/16 | 2 1/8" x 7/16" | |

| Special AG Heade | Special AG Headed Bolt & Nut Sets | | | | | | | | |
|------------------|-------------------------------------|----------|--|--|--|--|--|--|--|
| ATC Part No | Description | Price Ea | | | | | | | |
| F-AGH3/8x13/4 | 3/8" x 1 3/4" | | | | | | | | |
| F-AGH3/8x2 | 3/8" x 2" | | | | | | | | |
| F-AGH7/16x13/4 | 7/16" x 1 3/4" | | | | | | | | |
| F-AGH7/16x17/8 | 7/16 x 1 7/8" | 7 | | | | | | | |
| F-AGH7/16x21/8 | 7/16" x 2 1/8" | | | | | | | | |
| F-AGH7/16x21/4 | 7/16" x 2 1/4" | | | | | | | | |
| F-AGH7/16x21/2 | 7/16" x 2 1/2" | | | | | | | | |
| Shearer Trashwor | Shearer Trashworker Bolt & Nut Sets | | | | | | | | |
| F-SHTW9/16x21/4 | 9/16" x 2 1/4" | | | | | | | | |
| F-SHTW9/16x23/4 | 9/16" x 2 3/4" | | | | | | | | |



ATC supply points as standard replacement or tungsten carbide hardfaced for the very best in wear life. Contact Paul for pricing on our hardfaced applications.



Points & Sweeps Page 39

NOTES

| MACHINE TYPE | MAKE / MODEL | ATC PART NO | PRICE EA | QUANTITY REQ'D |
|--------------|--------------|-------------|----------|----------------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Email: paul@atcgroup.com.au Phone: 07 3285 7777 Mobile: 0448 588 433





Ground Engaging Wearparts

ATC supply a wide range of replacement hammers and flails for mulchers and flail mowers including brands such as Agrifarm, Agrimaster, Berti, Breviglieri, Cancela, FAE, Falc, Ferri, Faustini, Kuhn, Kverneland, Howard, Kuhn, Maletti, Maschio, McConnel, M.E.A.A.T, Muthing, Nobili, Omarv, Seppi, Sicma, Zanon, Zenith and more.

ATC's drop forged hammers are extremely strong with excellent wearing characteristics and are excellent in weight conformity. ATC flail blades and hammers are manufactured in Italy and Spain from Boron and cast steels and are designed for high ductility and excellent wear. ATC provide the option of having our range of mulcher flails and hammers coated with tungsten carbide hardfacing to provide you with the longest wearing parts available.

ATC's extensive ranged of fixed forestry mulcher teeth, inserts and holders are drop forged and are supplied with tungsten carbide hardfacing as a standard extra. ATC stock replacements for brands such as AFE (Advanced Forestry), AHWI, Augertorque Bobcat, Bradco, Caterpillar, Diamond, Digga, FAE, Fecon, Loftness, Magnum, Quadco, Rayco, Seppi and more.

Mulching hammers and flails.


Forestry mulcher fixed teeth
inserts and holders



Phone: 07 3285 7777 or Mobile 0448 588 433

Email: sales@atcgroup.com.au WEB www.atcgroup.com.au

ATC list the original equipment manufacturers part number (OEM) in most cases, however if you need to check that you are ordering the correct part, identifying correct fitment can be ascertained by measurements as below.



Hole size 16.5mm

Knuckle width 40mm

Radius "centre of hole to cutting edge face" 90mm

Cutting Face 120mm

| | | 100000 | | | | | | |
|---------------|------------------------------|-------------|-------------|-------------|-----------------|-------------------------------|----------------------|-----------------------|
| (September 1) | Make | Hole Size | Knuckle | Radius | Cutting Face | ATC P/No | Price Ea Standard | Price Ea Hardfaced |
| | Agrifarm | 16mm | 40mm | 90mm | 120mm | A-HASE7387 | | |
| | Suits Agrifarr | n ASM Mod | dels OEM / | A-37644 | | | | |
| | Agrimaster | 20.5mm | 60mm | 90mm | 145mm | A-HASI7391 | | |
| | Suits Agrimas | ster FA mod | dels 175,20 | 00,225 OEN | И 3001119. | Also suits Celli ⁻ | Γaurus. | |
| | Agrimaster | 31mm | 60mm | 80mm | 70mm | I-WMF04- 6080-SS | | |
| | Suits Agrimas | ster AWP, A | WP-S mod | dels OEM 3 | 3001780 "Si | ngle edged" | | |
| | Berti P Type Celli Gemini | 16.5mm | 40mm | 95mm | 137mm | A-HABE01 | | |
| | Suits Berti TF | B/Y, TFB/R | , AF, AF/SS | SL, TBM, TA | A/P OEM M | P0008 Also Celli | Gemini 702 | 2605 |
| | Berti A Type | 20mm | 52mm | 95mm | 135mm | A-HABE150 | | |
| | Berti A Type 1 | TFB/Y, TFB/ | R, TFB/SB | , TBM, EKF | R, TA/P, AF | OEM MA3922 | | |
| 7 | Berti M Type | 20mm | 85mm | 95mm | 135mm | A-HABE250 | | |
| | Suits Berti TB | SM/S, TFH/ | M, TFB/M | Mega OEN | и мро794 | | | |

ATC's hardfaced parts will greatly extend wear life and will save you time and labour costs due to not having to change out worn parts as often.

Email: paul@atcgroup.com.au Phone: 07 3285 7777 Mobile: 0448 588 433


| 1 | Make | Hole Size | Knuckle | Radius | Cutting Face | ATC P/No | Price Ea Standard | Price Ea Hardfaced |
|------------|-----------------|---------------|-------------|--------------|-----------------|-----------------------|----------------------|-----------------------|
| 2 | Berti T Type | 30mm | 80mm | 80mm | 75mm | I-WMF04- 8080 | | |
| | Suits Berti EC | CF, ECF-SB, I | ECF-MD m | odels OEN | I MD1950 " | 'Double edged" | | |
| 0 | Berti T Type | 30mm | 80mm | 80mm | 75mm | I-WMF04- 8080–SS | | |
| | Suits Berti EC | CF, ECF-SB, | ECF-MD m | odels OEN | 1 MD1950 ' | 'Single edged" | | |
| 6 | Berti T Type | 30mm | 80mm | 80mm | 75mm | I-WMF04- 8080-C-WC | | |
| | Suits Berti EC | F, ECF-SB, E | ECF-MD mo | odels OEM | MD1950 h | ardfaced top an | d bottom e | dges EHD |
| | Breviglieri | 16.5mm | 40mm | 95mm | 137mm | A-HABE01 | | |
| 10mm | Suits Breviglie | eri Flash SR | R, Turbo T, | Master, Su | uper Maste | r OEM 0056123 | | |
| | Celli | 16.5mm | 40mm | 110mm | 120mm | A-HASE7394 | | |
| The second | Suits Celli Ve | ga OEM 704 | 1052 (No | ote Celli Ta | urus hamn | ners also stocke | d item A-HA | \SI7391) |
| 6 | FAE | 31mm | 60mm | 80mm | 70mm | I-WMF04- 6080 | 37 | |
| | Suits FAE FM | L/SSL/HY/F | S OEM 111 | l120001 "[| Double edg | ed" | | |
| | FAE | 31mm | 60mm | 80mm | 70mm | I-WMF04- 6080-SS | | |
| | Suits FAE FML | /SSL/HY/FS | OEM 111 | 120000 "S | ingle edge" | | | |
| (a) | FALC | 25.5mm | 54mm | 96mm | 100mm | A-HAFA65180 | | |
| 4 | Suits Falc OEN | /I 66 00 00 | | | | | | |



All pricing is shown as exclusive of GST. Items are not sold as original equipment parts.

Mulching Hammers Faustini, Howard, Kuhn, Kverneland, Maletti, Maschio Page 43

| | Make | Hole Size | Knuckle | Radius | Cutting Face | ATC P/No | Price Ea Standard | Price Ea Hardfaced | | | |
|----------------|---------------|---|-------------|------------|-----------------|----------------|----------------------|-----------------------|--|--|--|
| | Faustini | 16mm | 40mm | 95mm | 137mm | A-HABE01 | | | | | |
| (SEE SALESSEE) | Suits Faustin | i FTP mode | ls | | | | | | | | |
| | Howard | 25.4mm | 50mm | 175mm | 115mm | A-FLN018 | | | | | |
| | Suits Howard | d Kronos al | ternative t | o Y blades | standard v | ersion | | | | | |
| | Kuhn | 16.5mm | 40mm | 110mm | 120mm | A-HASE7394 | | | | | |
| | Suits Kuhn J | K000049, 60 | 061700 | | | | | | | | |
| 9 | Kuhn | 25.5mm | 51mm | 175mm | 88mm | A-HANO65444 | | | | | |
| | Suits Kuhn J) | (136378 Al | ternative t | o Y blade | | | | | | | |
| 1 | Kuhn | 25.4mm | 50mm | 175mm | 115mm | A-FLN018 | | | | | |
| | Suits Kuhn O | EM ref 606 | 1699 | | | | | | | | |
| | Kverneland | 16.5mm | 40mm | 110mm | 120mm | A-HASE7394 | | | | | |
| | Suits Kverne | Suits Kverneland MA6402076 , MA6303076, MA6401076 | | | | | | | | | |
| | Maletti | 16.5mm | 40mm | 110mm | 120mm | A-HASE7394 | | | | | |
| | Suits Maletti | FH, FDP, F | RO models | OEM MA | 5402076 , N | //A6303076, MA | 6401076 | | | | |
| | Maschio | 16.5mm | 40mm | 110mm | 120mm | A-HASE7394 | | | | | |
| | Suits Maschi | o Bravia, B | ella model | s OEM T24 | 1004025 | | | | | | |





| | Make | Hole Size | Knuckle | Radius | Cutting Face | ATC P/No | Price Ea Standard | Price Ea Hardfaced | | |
|---------------|-----------------|--------------|------------|--------------|-----------------|-----------------|----------------------|-----------------------|--|--|
| 1 | Maschio | 20.5mm | 60mm | 90mm | 145mm | A-HASI7391 | | | | |
| The state of | Suits Maschi | o Bisonte, (| Corazza CR | , Giraffa, G | Griffone, Tig | gre OEM M0340 | 0410 | | | |
| | McConnel | 25.4mm | 38mm | 135mm | 60mm | I-WMF23 | | | | |
| 4 | Suits McCon | nel F10 Har | nmer OEM | 1 7314366 | | | | | | |
| | Muthing | 16.5mm | 40mm | 95mm | 137mm | A-HABE01 | | | | |
| - Vonces | Suits Muthir | ng MU mulc | hers | | | | | | | |
| | M.E.A.A.T | 18.5mm | 40mm | 110mm | 120mm | A-HASE7399 | | | | |
| | Suits M.E.A. | A.T | | | | | | | | |
| | M.E.A.A.T | 16.5mm | 40mm | 110mm | 120mm | A-HASE7394 | | 1// | | |
| Tonis . | Suits M.E.A.A.T | | | | | | | | | |
| | Nobili | 16.5mm | 40mm | 110mm | 120mm | A-HASE7394 | | | | |
| To the second | Suits Nobili | BNE, TBL, V | K, VKE, VK | (R,WMU m | odels OEN | N1891002 | | | | |
| 9 | Nobili | 25.4mm | 51mm | 175mm | 88mm | A-HANO65444 | 4 | | | |
| | Suits Nobili | heavy duty | hammer a | ılternative | to Y blades | 5 | | | | |
| | Nobili | 25.4mm | 50mm | 175mm | 115mm | A-FLN018 | | | | |
| | Suits Nobili s | standard re | placement | t hammer a | alternative | to Y blades OEM | 1 ref TX1362 | 276 | | |



| | Make | Hole Size | Knuckle | Radius | Cutting Face | ATC P/No | Price Ea Standard | Price Ea Hardfaced | | | | |
|-----------|--|---|--------------|-------------|-----------------|---------------------|----------------------|-----------------------|--|--|--|--|
| | Orsi | 20.5mm | 60mm | 90mm | 150mm | A-HASI7391 | | | | | | |
| | Suits Orsi WF | PR, WPS, m | odels OEM | 00023133 | . (Also s | uits Celli Taurus | OEM 72258 | 30) | | | | |
| | Orsi | 20.5mm | 55mm | 100mm | 145mm | A-HABE150 | | | | | | |
| | Suits Orsi Co | Suits Orsi Comfort, Dynamic, Twice models OEM 00023130 | | | | | | | | | | |
| | Orsi | 31mm | 60mm | 80mm | 70mm | I-WMF04- 6080-SS | | | | | | |
| | Suits Orsi W | Forrest mo | dels OEM (| 00023109 | "Single side | d" | | | | | | |
| | Seppi | 16mm | 40mm | 90mm | 120mm | A-HASE7387 | | | | | | |
| - Ones | Suits Seppi S | MW, SBM | models OE | M 150020 | 41 | | | | | | | |
| | Seppi | 16mm | 40mm | 110mm | 120mm | A-HASE7394 | | | | | | |
| and brown | Suits Seppi SMO, S9, WBS, OLS, models OEM 13002001 | | | | | | | | | | | |
| 6 | Seppi | 31mm | 60mm | 70mm | 65mm | I-WMF04- 6070 | | | | | | |
| | Suits Seppi C | Suits Seppi OPT-240 Miniforst, Midiforst, Midiforst DT, Superforst, Forst M "Double Edge" | | | | | | | | | | |
| | Seppi | 31mm | 60mm | 80mm | 70mm | I-WMF04- 6080-SS | | | | | | |
| | Suits Seppi | Miniforst, I | Midiforst, I | Midiforst [| OT, Superfo | rst, Forst M "Sir | igle Edge" | | | | | |
| 6 | Seppi | 31mm | 60mm | 70mm | 65mm | I-WMF04- 6070 | | | | | | |
| | Suits Seppi N | liniforst, M | lidiforst, M | lidiforst D | Γ, Superfors | st, Forst M "Dou | ble Edge" | | | | | |

All pricing is shown as exclusive of GST. Items are not sold as original equipment parts.



| | Make | Hole Size | Knuckle | Radius | Cutting Face | ATC P/No | Price Ea Standard | Price Ea Hardfaced | | | |
|------------|---|---------------------------|--------------|-------------|-----------------|---------------------|----------------------|-----------------------|--|--|--|
| | Seppi | 31mm | 60mm | 70mm | 60mm | I-WMF04- 6070-2T | | | | | |
| | Suits Seppi N | /liniforst, N | lidiforst, N | lidiforst D | T, Superfor | st, Forst M. Witl | n 2 tungster | ı tiles. | | | |
| | Sicma - Cosmag | 20.5mm | 60mm | 90mm | 150mm | A-HASI7391 | | | | | |
| Page 1 | Suits Sicma | Cosmag mo | odels. (Alsc | suits Celli | Taurus OE | M 722580) | | | | | |
| | Tuffass | 16mm | 40mm | 90mm | 120mm | A-HASE7387 | | | | | |
| and invest | FTP Range | | | | | | | | | | |
| | Zanon - Ino | 16mm | 40mm | 90mm | 120mm | A-HASE7387 | | | | | |
| | Suits Zanon | TFZ, TRV, F | RFG, TMC, | TMH mode | els RM8 and | l Ino models | | | | | |
| | Zanon | 16mm | 40mm | 90mm | 120mm | A-HASE7387 | | | | | |
| - Terror | Suits Zanon TFG, TFA, LFG, TRG, TPE models RM66 | | | | | | | | | | |
| T | Zanon | 25.4mm | 50mm | 175mm | 115mm | A-FLN018 | | | | | |
| | Suits Zanon | Suits Zanon TSF, ZTS RM46 | | | | | | | | | |
| 0 | Zanon | 31mm | 60mm | 80mm | 70mm | I-WMF04- 6080-SS | 1// | | | | |
| | Suits Zanon | ΓM, TF, DT | forestry m | ulcher mod | dels RM99 ' | "Single sided" | | | | | |
| 9 | Zenit | 25.5mm | 54mm | 96mm | 100mm | A-HA65180 | | | | | |
| | Suits Zenit n | nodels | | | | | | | | | |



All pricing is shown as exclusive of GST.


| | Make | Hole Size | Knuckle | Radius | Cutting Face | ATC P/No | Price Ea Standard | Price Ea Hardfaced | | | |
|---------|---|--|-----------|------------|-----------------|----------------|----------------------|-----------------------|--|--|--|
| | TMC Cancela | 28.5mm | 80mm | 98mm | 110mm | A-HACAA01 | | | | | |
| | TMC Cancela | suits TDE, T | DR, TMS n | nodels OEI | M Ref TMC | 001836-02 / A0 | 1 hammer | | | | |
| | TMC Cancela | 28.5mm | 60mm | 98mm | 151mm | A-HACAA18 | | | | | |
| N Parts | TMC Cancela suits TDE, TDR, TMS models OEM Ref TMC022377-1 / A18 hammer | | | | | | | | | | |
| 1 | Zanon | 20.5mm | 70mm | 160mm | 160mm | A-HAZARM69 | | | | | |
| | Zanon suits T | Zanon suits TM models OEM 5350098 / RM69 | | | | | | | | | |

Notes

| MACHINE TYPE | MAKE / MODEL | ATC PART NO | PRICE EA | QUANTITY REQ'D |
|--------------|--------------|-------------|----------|----------------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

All pricing is shown as exclusive of GST. Items are not sold as original equipment parts.





ATC's range of mulcher flail blades are manufactured using Boron steel. Tungsten carbide hardfaced blades can be ordered to greatly extend the wear life of the mulching flails.

| Hole size | 25.5mm |
|---|--------|
| Width | 60mm |
| Thickness | 10mm |
| Length "centre of hole to end of flail" | 171mm |

| • | Make | Hole Size | Width | Thickness | Length | ATC P/No | Price Ea Standard | Price Ea Hardfaced |
|---|---------------|--------------|-------------|-------------------|------------|------------------|----------------------|-----------------------|
| | Agrifarm | 25.5mm | 60mm | 10mm | 171mm | A-FLNO16 | | |
| | Y blade suits | Agrifarm m | ulcher AN | /IM, ACM, A | HM models | s OEM A-37094 | | |
| A | Agrifarm | 25.5mm | 60mm | 10mm | 171mm | A-FLNO17 | | |
| | Straight blad | e suits Agri | farm mulc | her AMM, <i>i</i> | ACM, AHM | models | | |
| | Agrimaster | 25.5mm | 60mm | 8mm | 118mm | A-FLAG65222 | | |
| | Y Blade suits | Agrimaster | MKD Ser | ies OEM Re | f 3000106 | | | |
| 2 | Agrimaster | 25.5mm | 60mm | 8mm | 118mm | A-FLAG84415 | | |
| | Straight blad | e suits Agri | master M | KD Series | | | | |
| | Berti | 28.5mm | 60mm | 10mm | 171mm | A-FLBER01 | | |
| | Y Blade suits | Berti TSB / | TSP-P OE | M Ref C601 | OF28 Bush | to suit F-FLBER0 | 1/02 | |
| 2 | Berti | 28.5mm | 60mm | 10mm | 171mm | A-FLBER02 | | |
| | Straight Blad | e suits Bert | i TSB / TSI | P-P OEM Re | f C6008F28 | Bush to suit F-F | LBER01/02 | |

ATC supply quality parts manufactured using European Boron steel. Adding ATC tungsten carbide hardfacing greatly increases the wear life of parts.

Email: paul@atcgroup.com.au Phone: 07 3285 7777 Mobile: 0448 588 433




| | Make | Hole Size | Width | Thickness | Length | ATC P/No | Price Ea Standard | Price Ea Hardfaced |
|---|----------------|---------------|------------|--------------|----------|----------|----------------------|-----------------------|
| | Breviglieri | 25.5mm | 60mm | 10mm | 171mm | A-FLNO16 | | |
| | Y blade suits | various Bre | viglieri m | ulchers OEN | /I 55202 | | | |
| 2 | Breviglieri | 25.5mm | 60mm | 10mm | 171mm | A-FLNO17 | | |
| | Straight blad | e suits vario | ous Brevig | lieri mulche | ers | | | |
| | Celli | 25.5mm | 60mm | 10mm | 171mm | A-FLNO16 | | |
| | Y blade suits | Celli Scorpi | o mulchei | rs | | | | |
| 2 | Celli | 25.5mm | 60mm | 10mm | 171mm | A-FLNO17 | | |
| | Straight blad | e suits Celli | Scorpio n | nulchers | | | | |
| | Falc | 25.5mm | 60mm | 10mm | 171mm | A-FLNO16 | | |
| | Y blade suits | Falc mulch | ers OEM F | 43.01.51 | | | | |
| • | Falc | 25.5mm | 60mm | 10mm | 171mm | A-FLNO17 | | |
| | Straight blad | e suits vario | ous Falc m | nulchers | | | | |
| 2 | Falc | 25.5mm | 60mm | 10mm | 171mm | A-FLNO15 | | |
| | "L" style blac | le suits vari | ous Falc n | nulchers | | | | |



ATC's tungsten carbide hardfaced flail mower blades generally get 3-4 times greater wear life compared to standard non hardfaced blades. The hardfaced blades retain their length of cut much longer allowing for continued use.

References to OEM brands and part numbers are for identification purposes only. Items are not sold as original equipment parts.





| | Make | Hole Size | Width | Thickness | Length | ATC P/No | Price Ea Standard | Price Ea Hardfaced |
|---|----------------|---------------|------------|-----------|--------|-------------|----------------------|-----------------------|
| | Ferri | 25.5mm | 60mm | 8mm | 118mm | A-FLAG65222 | | |
| | Y blade suits | Ferri mulch | ers | | | | | |
| • | Ferri | 25.5mm | 60mm | 8mm | 118mm | A-FLAG84415 | | |
| | Straight blad | e suits Ferri | i mulchers | ; | | | | |
| • | Howard | 25.5mm | 60mm | 10mm | 171mm | A-FLNO16 | | |
| | Y blade suits | Howard Kr | onos mod | els | | | | |
| 2 | Howard | 25.5mm | 60mm | 10mm | 171mm | A-FLNO17 | | |
| | Straight blad | e suits How | ard Krono | os models | | | | |
| • | Howard | 25.5mm | 60mm | 10mm | 171mm | A-FLNO15 | | |
| | "L" style blad | le suits Hov | vard Kron | os models | | | | |
| Ω | Kuhn | 25.5mm | 60mm | 10mm | 171mm | A-FLNO16 | | |
| | Y blade suits | Kuhn mulc | her | | | | | |
| • | Kuhn | 25.5mm | 60mm | 10mm | 171mm | A-FLNO17 | | |
| | Straight blad | e suits Kuhi | n mulcher | | | | | |
| • | Kuhn | 25.5mm | 60mm | 10mm | 171mm | A-FLNO15 | | |
| | "L" style blad | le suits Kuh | n mulche | r | | | | |



| | Make | Hole Size | Width | Thickness | Length | ATC P/No | Price Ea Standard | Price Ea Hardfaced |
|---------|----------------|--------------|------------|------------|--------|----------|----------------------|-----------------------|
| | Kverneland | 25.5mm | 60mm | 10mm | 171mm | A-FLNO16 | | |
| | Y blade suits | Kverneland | mulcher | | | | | |
| A | Kverneland | 25.5mm | 60mm | 10mm | 171mm | A-FLNO17 | | |
| | Straight blad | e suits Kver | neland m | ulcher | | | | |
| | M.E.A.A.T | 25.5mm | 60mm | 10mm | 171mm | A-FLNO16 | | 1/2/11 |
| | Y blade suits | M.E.A.A.T | TS model | mulcher | | | | |
| | M.E.A.A.T | 25.5mm | 60mm | 10mm | 171mm | A-FLNO17 | | |
| | Straight blad | e suits M.E. | A.A.T TS r | nodel mulc | her | | | |
| 2 | M.E.A.A.T | 25.5mm | 60mm | 10mm | 171mm | A-FLNO15 | | 1/1/2 |
| | "L" style blad | e suits M.E | .A.A.T TS | model mulc | her | | | |
| | Maletti | 25.5mm | 60mm | 10mm | 171mm | A-FLNO16 | | |
| | Y blade suits | Maletti mu | lcher | | | | | |
| 2 | Maletti | 25.5mm | 60mm | 10mm | 171mm | A-FLNO17 | | |
| | Straight blade | suits Male | etti mulch | er | | | | |

ATC's range of mulcher flail blades are manufactured in Italy using Boron steel. Tungsten carbide hardfaced blades can be ordered to greatly extend the wear life of the mulching flails.



All pricing is shown as exclusive of GST.

| | Make | Hole Size | Width | Thickness | Length | ATC P/No | Price Ea Standard | Price Ea Hardfaced |
|---|----------------|--------------|-------------|-------------|-------------|---------------|----------------------|-----------------------|
| | Nobili | 25.5mm | 60mm | 10mm | 171mm | A-FLNO16 | | |
| | Y blade suits | Nobili BNU | , BNG, BK, | RM, NK, RI | MP, RMS m | odels OEM N25 | 55004 | |
| A | Nobili | 25.5mm | 60mm | 10mm | 171mm | A-FLNO17 | | |
| | Straight blad | e suits Nob | ili BNU, BI | NG, BK, RM, | NK, RMP, | RMS models OE | M N155100 | 0 |
| R | Nobili | 25.5mm | 60mm | 10mm | 171mm | A-FLNO15 | | |
| | "L" Style blad | de suits Nol | oili BNU, B | BNG, BK, RN | I, NK, RMP, | RMS models O | EM N255500 | 01 |
| | Omarv | 25.5mm | 60mm | 10mm | 171mm | A-FLNO16 | | |
| | Y blade suits | Omarv mu | lcher | | | | | |
| A | Omarv | 25.5mm | 60mm | 10mm | 171mm | A-FLNO17 | | |
| | Straight blad | e suits Oma | rv mulche | er | | | | |
| • | Omarv | 25.5mm | 60mm | 10mm | 171mm | A-FLNO15 | | |
| | "L" Style blad | de suits Om | arv mulch | er | | | | |
| | Sicma | 25.5mm | 60mm | 8mm | 118mm | A-FLAG65222 | | |
| | Y blade suits | Sicma mulo | her | | | | | |
| 2 | Sicma | 25.5mm | 60mm | 8mm | 118mm | A-FLAG84415 | | |
| | Straight blad | e suits Sicn | na mulche | er | | | | |



All pricing is shown as exclusive of GST.

30 day trading account available to approved applicants. Contact Paul for an account application form. Email: paul@atcgroup.com.au

| | Make | Hole Size | Width | Thickness | Length | ATC P/No | Price Ea Standard | Price Ea Hardfaced |
|---|----------------|---------------|------------|-----------|--------|----------|----------------------|-----------------------|
| | Tierre | 25.5mm | 60mm | 10mm | 171mm | A-FLNO16 | | |
| | Y blade suits | Tierre TRL r | nulcher | | | | | |
| 2 | Tierre | 25.5mm | 60mm | 10mm | 171mm | A-FLN017 | | |
| | Straight blade | e suits Tierr | e TRL mu | lcher | | | | |
| | Tuffass | 25.5mm | 60mm | 10mm | 171mm | A-FLNO16 | | |
| | Y blade suits | Tuffass FTP | mulcher | | | | | |
| 2 | Tuffass | 25.5mm | 60mm | 10mm | 171mm | A-FLN017 | | |
| | Straight blade | e suits Tuffa | iss FTP mi | ulcher | | | | |

NOTES

| MACHINE TYPE | MAKE / MODEL | ATC PART NO | PRICE EA | QUANTITY REQ'D |
|--------------|--------------|-------------|----------|----------------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |



All pricing is shown as exclusive of GST.

ATC drop forged, cast and profile cut teeth and holders are specifically designed for high ductility and excellent wear. Forged teeth are extremely strong, excellent wearing and exhibit excellent conformity in weight and balance. ATC GROUP drop forged and investment cast teeth and holders are made from high alloy heat treated steel. We make holders for all types of grinders, forest mulchers, groomers and shredders. On request ATC GROUP can tungsten overlay the holders to minimise wear. We then reheat treat the holder to ensure the structural integrity of the steel has not been compromised. We also make custom teeth and holder combinations. We often do this when the OEM combination is not up to the harsh Australian conditions resulting in tip loss.

ATC GROUP also designs and manufactures premium quality wearparts for horizontal grinders, tub grinders, forest mulchers, groomers, shredders, chippers and debarkers. ATC GROUP grinder wearparts are currently in service in the industries involved in wood mulching, wood chipping, forest mulching, stone crushing, sugar processing, tyre shredding, plastic grinding, pet food, fertilizer manufacture and feed lots.

| AFE | Advanced Forestry (AFE) Beaver tooth. Suits SS Eco Mulcher, SS Extreme and SS Mini Might mulchers. 2" x 2" shank less with 3/4 NF thread. | Part No I-BT-QH10103T | Price Ea |
|------|---|-------------------------------------|----------|
| 100 | Replaces OEM part number SBT-200 | | |
| Ahwi | Ahwi style fixed tooth with 2 x tungsten tiles and tungsten overlay. Suits FM, UZM, RM models. OEM part number BFS26. Also suits Fecon. | Part No I-WMF01-2TWC | Price Ea |
| 93 | Bolt M24 (2.0) x 100mm Cone lock nut M24 | F-BHM24(2.0)x100 F-NM24(2.0)Cone | |
| Ahwi | Ahwi style fixed tooth aggressive version 1 x tungsten tile and tungsten overlay. Suits FM, UZM, RM models. HDT new generation tool equivalent. Also suits Fecon. | Part No I-WMF22-TWC | Price Ea |
| | Bolt M24 (2.0) x 100mm Cone lock nut M24 | F-BHM24(2.0)x100 F-NM24(2.0)Cone | |
| Ahwi | Ahwi style fixed tooth with 2 x tungsten tiles and tungsten overlay. Suits FM, UZM, RM models. HDT new generation tool equivalent. Also suits Fecon. | Part No I-WMF22-2TWC | Price Ea |
| | Bolt M24 (2.0) x 100mm Cone lock nut M24 | F-BHM24(2.0)x100 F-NM24(2.0)Cone | |

References to OEM brands and part numbers are for identification purposes only. Items are not sold as original equipment parts.



Page 55 AHWI, Auger Torque, Bobcat, Caterpillar Fixed Teeth, Inserts and Holders

| Ahwi | Ahwi style chipper blade base. Suits FM, UZM, RM models. Also suits Fecon. Suit | Part No I-WMF22-CHP-Base | Price Ea |
|--------------|---|--|--------------|
| 10 | lower horsepower machines | | |
| 6 | Bolt M24 (2.0) x 100mm | F-BHM24(2.0)x100 | |
| | Cone lock nut M24 | F-NM24(2.0)Cone | |
| Ahwi | Ahwi style chipper blade. Replacement | Part No | Price Ea |
| | blade for above I-WMF22-CHP-Base. Suits FM, UZM, RM models. Also suits Fecon. Suit lower Hp machines. Standard or hardfaced | I-WMF22-CHP-Knife I-WMF22-CHP-Knife-WC | |
| 110 | 2 x Bolt M16 x 40 | F-BCapM16(2.0)x40 | 6.09 ///- |
| | 2 x Schnorr Washer M16 | F-WM16 Schnorr | |
| Auger Torque | Auger Torque VM1500 | Part No | Price Ea |
| | | I-WMF07-3TWC | |
| | Bolt M20 (1.5) x 60mm | F-BCapM20(1.5)x60 | |
| | Washer M20 Schnorr | F-WM20 Schnorr | |
| | | | |
| Bobcat | Bobcat style 2 bolt and 2 tungsten tiles and | Part No | Price Ea |
| Bobcat | Bobcat style 2 bolt and 2 tungsten tiles and tungsten overlay. 5/8" bolts on 42mm centres. Suits FRC50, FRC60, FRC70 models. OEM 698740, 6692660, 6990346 | Part No I-WMF11-BC-2TWC | Price Ea |
| Bobcat | tungsten overlay. 5/8" bolts on 42mm centres. Suits FRC50, FRC60, FRC70 models. | | Price Ea |
| Bobcat | tungsten overlay. 5/8" bolts on 42mm centres. Suits FRC50, FRC60, FRC70 models. OEM 698740, 6692660, 6990346 | I-WMF11-BC-2TWC | Price Ea |
| Bobcat | tungsten overlay. 5/8" bolts on 42mm centres. Suits FRC50, FRC60, FRC70 models. OEM 698740, 6692660, 6990346 Bolt 5/8" x 3 1/4" Also 1" Seating Lug WMF11 Bolt 5/8" x 4 1/2" Also M16 Schnorr washer Caterpillar feller buncher beaver tooth suits | I-WMF11-BC-2TWC F-BCap5/8(18)x3-1/4 | Price Ea |
| | tungsten overlay. 5/8" bolts on 42mm centres. Suits FRC50, FRC60, FRC70 models. OEM 698740, 6692660, 6990346 Bolt 5/8" x 3 1/4" Also 1" Seating Lug WMF11 Bolt 5/8" x 4 1/2" Also M16 Schnorr washer Caterpillar feller buncher beaver tooth suits HFW222CC, HFW232, SC57, SH56B, SS56. | I-WMF11-BC-2TWC F-BCap5/8(18)x3-1/4 F-BCap5/8(18)x4-1/2 | |
| | tungsten overlay. 5/8" bolts on 42mm centres. Suits FRC50, FRC60, FRC70 models. OEM 698740, 6692660, 6990346 Bolt 5/8" x 3 1/4" Also 1" Seating Lug WMF11 Bolt 5/8" x 4 1/2" Also M16 Schnorr washer Caterpillar feller buncher beaver tooth suits | I-WMF11-BC-2TWC F-BCap5/8(18)x3-1/4 F-BCap5/8(18)x4-1/2 Part No | |
| | tungsten overlay. 5/8" bolts on 42mm centres. Suits FRC50, FRC60, FRC70 models. OEM 698740, 6692660, 6990346 Bolt 5/8" x 3 1/4" Also 1" Seating Lug WMF11 Bolt 5/8" x 4 1/2" Also M16 Schnorr washer Caterpillar feller buncher beaver tooth suits HFW222CC, HFW232, SC57, SH56B, SS56. Also Prentice, Promac, Quadco and | I-WMF11-BC-2TWC F-BCap5/8(18)x3-1/4 F-BCap5/8(18)x4-1/2 Part No | |
| | tungsten overlay. 5/8" bolts on 42mm centres. Suits FRC50, FRC60, FRC70 models. OEM 698740, 6692660, 6990346 Bolt 5/8" x 3 1/4" Also 1" Seating Lug WMF11 Bolt 5/8" x 4 1/2" Also M16 Schnorr washer Caterpillar feller buncher beaver tooth suits HFW222CC, HFW232, SC57, SH56B, SS56. Also Prentice, Promac, Quadco and Tigercat. 1" UNF thread. | I-WMF11-BC-2TWC F-BCap5/8(18)x3-1/4 F-BCap5/8(18)x4-1/2 Part No I-BT-Q10233T | Price Ea |
| Caterpillar | tungsten overlay. 5/8" bolts on 42mm centres. Suits FRC50, FRC60, FRC70 models. OEM 698740, 6692660, 6990346 Bolt 5/8" x 3 1/4" Also 1" Seating Lug WMF11 Bolt 5/8" x 4 1/2" Also M16 Schnorr washer Caterpillar feller buncher beaver tooth suits HFW222CC, HFW232, SC57, SH56B, SS56. Also Prentice, Promac, Quadco and Tigercat. 1" UNF thread. Bolt 1" x 4" Caterpillar style fixed tooth 2 bolt with 3 tungsten tiles and tungsten overlay. Suits | I-WMF11-BC-2TWC F-BCap5/8(18)x3-1/4 F-BCap5/8(18)x4-1/2 Part No I-BT-Q10233T TBA | Price Ea TBA |
| Caterpillar | tungsten overlay. 5/8" bolts on 42mm centres. Suits FRC50, FRC60, FRC70 models. OEM 698740, 6692660, 6990346 Bolt 5/8" x 3 1/4" Also 1" Seating Lug WMF11 Bolt 5/8" x 4 1/2" Also M16 Schnorr washer Caterpillar feller buncher beaver tooth suits HFW222CC, HFW232, SC57, SH56B, SS56. Also Prentice, Promac, Quadco and Tigercat. 1" UNF thread. Bolt 1" x 4" | I-WMF11-BC-2TWC F-BCap5/8(18)x3-1/4 F-BCap5/8(18)x4-1/2 Part No I-BT-Q10233T TBA Part No | Price Ea TBA |
| Caterpillar | tungsten overlay. 5/8" bolts on 42mm centres. Suits FRC50, FRC60, FRC70 models. OEM 698740, 6692660, 6990346 Bolt 5/8" x 3 1/4" Also 1" Seating Lug WMF11 Bolt 5/8" x 4 1/2" Also M16 Schnorr washer Caterpillar feller buncher beaver tooth suits HFW222CC, HFW232, SC57, SH56B, SS56. Also Prentice, Promac, Quadco and Tigercat. 1" UNF thread. Bolt 1" x 4" Caterpillar style fixed tooth 2 bolt with 3 tungsten tiles and tungsten overlay. Suits | I-WMF11-BC-2TWC F-BCap5/8(18)x3-1/4 F-BCap5/8(18)x4-1/2 Part No I-BT-Q10233T TBA Part No | Price Ea TBA |



Email: paul@atcgroup.com.au Phone: 07 3285 7777 Mobile: 0448 588 433

| Caterpillar | Holder suits Caterpillar 7 1/2" diameter drum on HM312 mulcher Holder suits Caterpillar 12" diameter drum on HM315 mulcher Bolt M16 (1.5) x 40mm Also 2 x M16 Bolt M16 (1.5) x 70mm Schnorr washer | Part No H-WMF06-21S H-WMF06-21M F-BCapM16(1.5)x40 F-BCapM16(1.5)x70 | Price Ea |
|-------------|--|---|----------|
| Caterpillar | Caterpillar style fixed tooth 1 bolt with 3 tungsten tiles and tungsten overlay. Suits HM315B, HM415B, MD250, HM825 mulchers. OEM 382-6262 Bolt M20 (1.5) x 60mm | Part No I-WMF07-3TWC F-BCapM20(1.5)x60 | Price Ea |
| Constillan | Washer M20 Schnorr | F-WM20 Schnorr | Dily 5 |
| Caterpillar | Caterpillar style fixed tooth 1 bolt with 3 tungsten tiles and tungsten overlay. EHD side scraper. Suits HM315B, HM415B, MD250, HM825 mulchers. OEM 382-6263 Bolt M20 (1.5) x 60mm | Part No I-WMF07-XHD-LH-3TWC I-WMF07-XHD-RH-3TWC F-BCapM20(1.5)x60 | Price Ea |
| | Washer M20 Schnorr | F-WM20 Schnorr | |
| Caterpillar | Holder suits Caterpillar 12" diameter drum on HM415B 12" Drum | Part No H-WMF07 | Price Ea |
| | Bolt M20 (1.5) x 60mm Washer M20 Schnorr | F-BCapM20(1.5)x60 F-WM20 Schnorr | |
| Caterpillar | Caterpillar style fixed tooth 1 bolt with 3 tungsten tiles and tungsten overlay. Suits HM115C, HM215C, HM418C, HM112C, HM315C, HM518, HM415C OEM 475-2810 | Part No I-WMF38-3TWC | Price Ea |
| | Special ATC Bolt Cone lock nut / Schnorr Washer | F-B-WMF3438-120 F-NM20x1.5Cone | |
| Caterpillar | Caterpillar style fixed tooth 1 bolt with 3 tungsten tiles EHD side scraper . Suits HM115C, HM215C, HM418C, HM112C, | Part No I-WMF38-3TWC-XHD-LH I-WMF38-3TWC-XHD-RH | Price Ea |
| | Special ATC Bolt Cone lock nut / Schnorr Washer | F-B-WMF3438-120 F-NM20x1.5Cone | |

References to OEM brands and part numbers are for identification purposes only. Items are not sold as original equipment parts.



| Caterpillar | Reversible planer knife for Caterpillar mulchers fitted with Quadco adapter Q11028-B. 2 bolt adapter on models 2 x Bolt 5/8" (18) x 2 1/2" | Part No I-BT-Q10924T F-BCap5/8(18)x2-1/2 | Price Ea |
|-------------|---|--|----------|
| Caterpillar | Planer knife base to suit Caterpillar HM315B, HM415B, MD250, HM825 mulchers. OEM 382-6265. Bolt M20 (1.5) x 60mm Washer M20 Schnorr | Part No I-WMF33-CHP-Base F-BCapM20(1.5)x60 F-WM20 Schnorr | Price Ea |
| Caterpillar | Planer knife to suit I-WMF33-CHP-Base. Suits Caterpillar HM315B, HM415B, MD250, HM825 mulchers. Available in 55mm or 75mm cutting edge widths 2 x Cap head 10mm(1.25) x 25mm | Part No I-WMF313334-CHP55 I-WMF313334-CHP75 F-BCapM10(1.25)x25 | Price Ea |
| Caterpillar | Planer knife base to suit Caterpillar HM115C, HM215C, HM418C, HM112C, HM315C, HM518, HM415C Special ATC Bolt Cone lock nut / Schnorr Washer \$1.75 Ea | Part No I-WMF34-CHP-Base F-B-WMF3438-120 F-NM20x1.5Cone | Price Ea |
| Caterpillar | Planer knife to suit I-WMF34CHP-Base. Suit Caterpillar HM115C, HM215C, HM418C, HM112C, HM315C, HM518, HM415C. Available in 55mm or 75mm cutting edge 2 x Cap head 10mm(1.25) x 25mm | Part No I-WMF313334-CHP55 I-WMF313334-CHP75 F-BCapM10(1.25)x25 | Price Ea |
| Diamond | Beaver style tooth 1/2" UNF thread. Suits Diamond mulcher head OEM part 22-0019 also suits Diamond mowers skid steer disc mulchers 1 x Cap head 1/2 (20) x 3 inch | Part No I-BT-QH10078T F-BCap1/2(20)x3 | Price Ea |



| Digga Magnum / Bradco | Digga Magnum / Bradco style fixed tooth 2 bolt with 3 x tungsten tiles and tungsten overlay. Suit MM36, MM60, MM72 OEM 600-112-1 non reversible | Part No I-WMFBM-3TWC | Price Ea |
|--------------------------|---|---|----------|
| | Bolt M16 x 110mm Bolt M16 x 75mm | ТВА | |
| Digga Magnum / Bradco | Digga Magnum / Bradco style fixed tooth 6 tungsten tiles and tungsten overlay. Suit MM36, MM60, MM72 OEM 600-168 Reversible fixed tooth. | Part No I-WMFBM-6T | Price Ea |
| | Bolt M16 x 110mm Bolt M16 x 75mm | ТВА | |
| FAE | FAE A type insert, 2 bolt , 1 x tungsten tile and tungsten overlay. OEM 111431000-K. EHD side scrapers also available | Part No I-WMF14-TWC | Price Ea |
| 100 | 1 x M16(1.5) x 80mm Also M16 Schnorr 1 x M16(1.5) x 120mm Washer | F-BCapM16(1.5)x80 F-BCapM16(1.5)x120 | |
| FAE | FAE A / F type insert, 2 bolt , 1 x beak tungsten tile and tungsten overlay. Aggressive version. OEM 112800046-K EHD side scrapers also available | Part No I-WMF14-BEAK-TWC | Price Ea |
| Y | 1 x M16(1.5) x 80mm Also M16 Schnorr 1 x M16(1.5) x 120mm Washer | F-BCapM16(1.5)x80 F-BCapM16(1.5)x120 | |
| FAE | FAE style holder to suit FAE drum with 190mm radius | Part No H-WMF14 | Price Ea |
| 1 | 1 x M16(1.5) x 80mm Also M16 Schnorr 1 x M16(1.5) x 120mm Washer | F-BCapM16(1.5)x80 F-BCapM16(1.5)x120 | |
| FAE | FAE B type insert, 1 bolt , 1 x tungsten tile and tungsten overlay. OEM 111708000-K EHD side scrapers also available | Part No I-WMF18-TWC | Price Ea |
| 4 | 1 x M24(1.5) x 70mm 1 x M24 Schnorr washer | F-BCapM24(2.0)x70 F-WM24 Schnorr | |



| (= 7 - 7 - 7) | | | Party and the same |
|-----------------|---|--|--------------------|
| FAE | FAE B type insert, 1 bolt , 1 x beak tungsten | Part No | Price Ea |
| | tile and tungsten overlay. Aggressive version. EHD side scrapers also available. | I-WMF18-BEAK-TWC | |
| | | | 3434333 |
| | 1 x M24(1.5) x 70mm | F-BCapM24(2.0)x70 | |
| | 1 x M24 Schnorr washer | F-WM24 Schnorr | |
| FAE | FAE C type insert 1 bolt, 3 x tungsten tile | Part No | Price Ea |
| | and tungsten overlay. OEM 111530012-K | I-WMF07-3TWC | |
| | | | |
| | Bolt M20 (1.5) x 60mm | F-BCapM20(1.5)x60 | |
| | Washer M20 Schnorr | F-WM20 Schnorr | |
| FAE | | | Price Ea |
| FAE | FAE C type EHD side scraper insert 1 bolt, 3 x tungsten tile and tungsten overlay. OEM | Part No | Price Ea |
| 11 | 112700002-K and 112700003-K | I-WMF07-XHD-LH-3TWC | |
| | | I-WMF07-XHD-RH-3TWC | |
| | Bolt M20 (1.5) x 60mm | F-BCapM20(1.5)x60 | |
| Mark Confession | Washer M20 Schnorr | F-WM20 Schnorr | |
| | | | |
| FAE | FAE C type insert 1 bolt, 1 x beak tungsten | Part No | Price Ea |
| FAE | tile and tungsten overlay. Aggressive | Part No I-WMF36-TWC | Price Ea |
| FAE | | | Price Ea |
| FAE | tile and tungsten overlay. Aggressive | | Price Ea |
| FAE | tile and tungsten overlay. Aggressive version. EHD side scrapers also available | I-WMF36-TWC | Price Ea |
| | tile and tungsten overlay. Aggressive version. EHD side scrapers also available Bolt M20 (1.5) x 60mm Washer M20 Schnorr | I-WMF36-TWC F-BCapM20(1.5)x60 F-WM20 Schnorr | |
| FAE | tile and tungsten overlay. Aggressive version. EHD side scrapers also available Bolt M20 (1.5) x 60mm | I-WMF36-TWC F-BCapM20(1.5)x60 F-WM20 Schnorr Part No | Price Ea |
| | tile and tungsten overlay. Aggressive version. EHD side scrapers also available Bolt M20 (1.5) x 60mm Washer M20 Schnorr Planer knife base to suit FAE D type OEM | I-WMF36-TWC F-BCapM20(1.5)x60 F-WM20 Schnorr | |
| | tile and tungsten overlay. Aggressive version. EHD side scrapers also available Bolt M20 (1.5) x 60mm Washer M20 Schnorr Planer knife base to suit FAE D type OEM | I-WMF36-TWC F-BCapM20(1.5)x60 F-WM20 Schnorr Part No | |
| | tile and tungsten overlay. Aggressive version. EHD side scrapers also available Bolt M20 (1.5) x 60mm Washer M20 Schnorr Planer knife base to suit FAE D type OEM | I-WMF36-TWC F-BCapM20(1.5)x60 F-WM20 Schnorr Part No | |
| | tile and tungsten overlay. Aggressive version. EHD side scrapers also available Bolt M20 (1.5) x 60mm Washer M20 Schnorr Planer knife base to suit FAE D type OEM 112800026-K | I-WMF36-TWC F-BCapM20(1.5)x60 F-WM20 Schnorr Part No I-WMF33-CHP-Base | |
| | tile and tungsten overlay. Aggressive version. EHD side scrapers also available Bolt M20 (1.5) x 60mm Washer M20 Schnorr Planer knife base to suit FAE D type OEM 112800026-K Bolt M20 (1.5) x 60mm | I-WMF36-TWC F-BCapM20(1.5)x60 F-WM20 Schnorr Part No I-WMF33-CHP-Base F-BCapM20(1.5)x60 | |
| FAE | tile and tungsten overlay. Aggressive version. EHD side scrapers also available Bolt M20 (1.5) x 60mm Washer M20 Schnorr Planer knife base to suit FAE D type OEM 112800026-K Bolt M20 (1.5) x 60mm Washer M20 Schnorr Planer knife to suit I-WMF33-CHP-Base. Suits FAE D type OEM 112800025. Available | I-WMF36-TWC F-BCapM20(1.5)x60 F-WM20 Schnorr Part No I-WMF33-CHP-Base F-BCapM20(1.5)x60 F-WM20 Schnorr | Price Ea |
| FAE | tile and tungsten overlay. Aggressive version. EHD side scrapers also available Bolt M20 (1.5) x 60mm Washer M20 Schnorr Planer knife base to suit FAE D type OEM 112800026-K Bolt M20 (1.5) x 60mm Washer M20 Schnorr Planer knife to suit I-WMF33-CHP-Base. | I-WMF36-TWC F-BCapM20(1.5)x60 F-WM20 Schnorr Part No I-WMF33-CHP-Base F-BCapM20(1.5)x60 F-WM20 Schnorr Part No I-WMF313334-CHP55 | Price Ea |
| FAE | tile and tungsten overlay. Aggressive version. EHD side scrapers also available Bolt M20 (1.5) x 60mm Washer M20 Schnorr Planer knife base to suit FAE D type OEM 112800026-K Bolt M20 (1.5) x 60mm Washer M20 Schnorr Planer knife to suit I-WMF33-CHP-Base. Suits FAE D type OEM 112800025. Available in 55mm or 75mm cutting edge widths | I-WMF36-TWC F-BCapM20(1.5)x60 F-WM20 Schnorr Part No I-WMF33-CHP-Base F-BCapM20(1.5)x60 F-WM20 Schnorr Part No I-WMF313334-CHP55 I-WMF313334-CHP75 | Price Ea |
| FAE | tile and tungsten overlay. Aggressive version. EHD side scrapers also available Bolt M20 (1.5) x 60mm Washer M20 Schnorr Planer knife base to suit FAE D type OEM 112800026-K Bolt M20 (1.5) x 60mm Washer M20 Schnorr Planer knife to suit I-WMF33-CHP-Base. Suits FAE D type OEM 112800025. Available | I-WMF36-TWC F-BCapM20(1.5)x60 F-WM20 Schnorr Part No I-WMF33-CHP-Base F-BCapM20(1.5)x60 F-WM20 Schnorr Part No I-WMF313334-CHP55 | Price Ea |



ATC drop forged, cast and profile cut hammers and holders are specifically designed for high ductility and excellent wear. ATC Forged hammers are extremely strong, excellent wearing and exhibit excellent conformity in weight and balance.

| FAE | Reversible planer knife for FAE mulchers fitted with Quadco adapter Q11028-B 2 bolt adapter | Part No I-BT-Q10924T | Price Ea |
|-----|---|--|----------|
| | 2 x Bolt 5/8" (18) x 2 1/2" | F-BCap5/8(18)x2-1/2 | |
| FAE | FAE style holder to suit FAE drum with 245mm radius. | Part No H-WMF07 | Price Ea |
| | Bolt M20 (1.5) x 60mm Washer M20 Schnorr | F-BCapM20(1.5)x60 F-WM20 Schnorr | |
| FAE | FAE style C2 tooth 2 bolt with 3 tungsten tiles and tungsten overlay. OEM 111530007-K | Part No I-WMF06-3TWC | Price Ea |
| - | Bolt M16 (1.5) x 40mm Also 2 x M16 Bolt M16 (1.5) x 70mm Schnorr washer | F-BCapM16(1.5)x40 F-BCapM16(1.5)x70 | |
| FAE | FAE style C2 tooth 2 bolt with 1 tungsten beak tile and tungsten overlay. Aggressive version. | Part No I-WMF21-TWC | Price Ea |
| - | Bolt M16 (1.5) x 40mm Also 2 x M16 Bolt M16 (1.5) x 70mm Schnorr washer | F-BCapM16(1.5)x40 F-BCapM16(1.5)x70 | |
| FAE | 2 bolt holder suit FAE drum with 139 radius 2 bolt holder suit FAE drum with 245 radius | Part No H-WMF06-21S H-WMF06-21M | Price Ea |
| 8 | 2 x Bolt M16 (1.5) x 40mm Schnorr washer | F-BCapM16(1.5)x40 F-WM16 Schnorr | |
| FAE | FAE style K type tooth 1 Bolt with Beak tile. Aggressive cutting. OEM 112800083-K | Part No I-WMF38-BEAK-T | Price Ea |
| | Special ATC Bolt Cone lock nut Washer | F-B-WMF3438-120 F-NM20x1.5Cone F-WM20Schnorr | |

References to OEM brands and part numbers are for identification purposes only. Items are not sold as original equipment parts.



| FAE | FAE style C3 tooth 1 bolt with 3 tungsten tiles and tungsten overlay. OEM 111530017-K | Part No I-WMF38-3TWC | Price Ea |
|-----|--|--|----------|
| | Special ATC Bolt Cone lock nut Washer | F-B-WMF3438-120 F-NM20x1.5Cone F-WM20Schnorr | |
| FAE | FAE style C3 tooth 1 bolt with 3 tungsten tiles and tungsten overlay. EHD side scrapers. OEM 112700004-K and 112700005-K | Part No I-WMF38-3TWC-XHD-LH I-WMF38-3TWC-XHD-RH | Price Ea |
| | Special ATC Bolt Cone lock nut Washer | F-B-WMF3438-120 F-NM20x1.5Cone F-WM20Schnorr | |
| FAE | Planer knife base to suit FAE C3 type OEM 112800070 | Part No I-WMF34-CHP-Base | Price Ea |
| | Same fastener kit as shown above. | | |
| FAE | Planer knife to suit I-WMF34-CHP-Base. Suits FAE C3 type OEM 112800069. Available in 55mm or 75mm cutting edge widths | Part No I-WMF313334-CHP55 I-WMF313334-CHP75 | Price Ea |
| 60 | 2 x Cap head 10mm(1.25) x 25mm | F-BCapM10(1.25)x25 | |
| FAE | Excavator mulcher E type blade suits DML/HY, DML/HY/VT OEM 112800098 | Part No I-WMF30 | Price Ea |
| | Bolt M14 x 1.5 x 30mm | F-BCapM14(1.5)x30 | |
| FAE | Excavator mulcher E type heavy duty blade with 3 tungsten tiles suits DML/HY, DML/HY/VT OEM 112800098 | Part No I-WMF30-3T | Price Ea |
| 1 | Bolt M14 x 1.5 x 30mm | F-BCapM14(1.5)x30 | 1/4/2 |



All pricing is shown as exclusive of GST.

30 day trading account available to approved applicants. Contact Paul for an account application form. Email: paul@atcgroup.com.au

| Fecon | Fecon Viking Sword knife tool | Part No | Price Ea |
|----------|---|--|---|
| 4 | | .I-WMF10-SWORD | |
| | 3/4 x 3 1/2 Cap Head Bolt | F-BCap3/4(16)x3-1/2 | |
| | Washer M20 Schnorr | F-WM20 Schnorr | |
| Fecon | Fecon type 2 bolt and 2 tiles and tungsten | Part No | Price Ea |
| | overlay. Older style 44.45mm hole centres. | I-WMF11-FC-2TWC | |
| 2 | | | |
| | Bolt 5/8" x 3 1/4" Also 1" Seating Lug WMF11 | F-BCap5/8(18)x3-1/4 | |
| 9 | Bolt 5/8" x 4 1/2" Also M16 Schnorr washer | F-BCap5/8(18)x4-1/2 | |
| Fecon | Fecon FGT and DCR rotor type insert. 1 bolt | Part No | Price Ea |
| - 6 | and 3 tiles and tungsten overlay. Suits Bullhog, FM, CEM models. | I-WMF10-3TWC | |
| . | buillog, Fivi, CLIVI Hodels. | | |
| | 3/4 x 3 1/2 Cap Head Bolt | F-BCap3/4(16)x3-1/2 | |
| | Washer M20 Schnorr | F-WM20 Schnorr | |
| Fecon | Fecon FGT and DCR rotor type insert. EHD | Part No | Price Ea |
| | side scraper LH and RH. 1 bolt and 3 tiles and tungsten overlay. Suits Bullhog, FM, | I-WMF10-XHD-LH-3TWC | |
| | | I-WMF10-XHD-LH-3TWC | |
| | Bolt 3/4 x 3 1/2" UNF | F-BCap3/4(16)x3-1/2 | |
| | Washer M20 Schnorr | F-WM20 Schnorr | |
| Fecon | Planer knife base to suit Fecon FGT and DCR rotor type insert. Suits Bullhog, FM, CEM | Part No | Price Ea |
| | models. | I-WMF31-CHP-Base | |
| 100 | | (4/45) 4/5 | |
| | Bolt 3/4 x 3 1/2" UNF | F-BCap3/4(16)x3-1/2 | |
| | Washer M20 Schnorr | F-WM20 Schnorr | V = V = 0.00 |
| Fecon | Planer knife to suit I-WMF31-CHP-Base. Fecon FGT and DCR rotor type insert. Suits | Part No | Price Ea |
| | Bullhog, FM, CEM models. | I-WMF313334-CHP55 | |
| 100 | | I-WMF313334-CHP75 | |
| | 2 x Cap head 10mm(1.25) x 25mm | F-BCapM10(1.25)x25 | |
| | | the state of the s | 2012 18 18 18 18 18 18 18 18 18 18 18 18 18 |

ATC GROUP drop forged and investment cast hammers/holders are made from high alloy heat treated steel. We make holders for all types of grinders, forest mulchers, groomers and shredders.

ate of the second

John Deere, Gyrotrac,

Fixed Teeth, Inserts and Holders

| John Deere | John Deere insert 2 bolt and 2 tiles and tungsten overlay. Suit MH60 models 1" Lug / Metal bush Bolt 5/8 x 3 1/4" Also M16 Schnorr Bolt 5/8 x 4 1/2" Washer | Part No I-WMF11-JD-2TWC F-WMF11-BUSH F-BCap5/8(18)x3-3/4 F-BCap5/8(18)x4-1/2 | Price Ea |
|------------|--|--|----------|
| John Deere | Adapter to suit John Deere mulcher for chip blade. Suit MH models Bolt 5/8 x 3 3/4" Also M16 Schnorr Bolt 5/8 x 4 1/2" Washer | Part No H-BT-JD10037 F-BCap5/8(18)x3-1/4 F-BCap5/8(18)x4-1/2 | Price Ea |
| John Deere | Chip blade to suit above John Deere H-BT-JD10037 base Bolt 5/8 x 3 3/4" Also M16 Schnorr Bolt 5/8 x 4 1/2" Washer | Part No I-BT-Q10924T F-BCap5/8(18)x3-3/4 F-BCap5/8(18)x4-1/2 | Price Ea |
| Gyrotrac | Gyrotrac planer knife style insert suits 500HF, 700HF models Bolt M20(1.5) x 80mm | Part No I-GYTRC F-BCapM20(1.5)x80 | Price Ea |
| Gyrotrac | Gyrotrac planer knife style insert with tungsten overlay suits 500HF, 700HF models Bolt M20(1.5) x 80mm | Part No I-GYTRC-WC F-BCapM20(1.5)x80 | Price Ea |
| Gyrotrac | Gyrotrac planer knife style insert with 3 tungsten tiles and tungsten overlay suits 500HF, 700HF models Bolt M20(1.5) x 80mm | Part No I-GYTRC-3T F-BCapM20(1.5)x80 | Price Ea |



References to OEM brands and part numbers are for identification purposes only. Items are not sold as original equipment parts.

| Loftness | Loftness style insert. 2 bolt, with 2 heavy duty tungsten tiles and overlay. OEM N15510 suit G3, G4, CCH 61/71 models | Part No I-WMF16-2TWC | Price Ea |
|----------|--|--|----------|
| 3 | 2 x 5/8(18) x 2 1/2" M16 Schnorr Washer | F-BCap5/8(18)x2-1/2 F-WM16 Schnorr | |
| Loftness | Loftness planer style insert. 2 bolt, with 2 tungsten tiles and overlay. OEM N17044 suit G3, G4, CCH 61/71 models | Part No I-WMF16-2T-HD-WC | Price Ea |
| | 2 x 5/8(18) x 2 1/2" M16 Schnorr Washer | F-BCap5/8(18)x2-1/2 F-WM16 Schnorr | |
| Rayco | Rayco style insert 2 bolt with 3 tungsten tiles and tungsten overlay. Suits Rayco C130, C140, C87L, C87FM, XP, FM, models | Part No I-WMF06-3TWC | Price Ea |
| 66 | Bolt M16 (1.5) x 40mm Also Bolt M16 (1.5) x 70mm Schnorr washer | F-BCapM16(1.5)x40 F-BCapM16x(1.5)x70 | |
| Rayco | Rayco style 2 bolt with 1 tungsten beak tile and tungsten overlay. Aggressive version. Suits Rayco C130, C140, C87L, C87FM, XP, FM | Part No I-WMF21-TWC | Price Ea |
| - | Bolt M16 (1.5) x 40mm Also Bolt M16 (1.5) x 70mm Schnorr washer | F-BCapM16(1.5)x40 F-BCapM16x(1.5)x70 | |
| Rayco | Rayco style insert 2 bolt, 6 tungsten tiles suits C100, C160, C185, C200, C260, T260, T360 models | Part No I-TGB48-6T | Price Ea |
| | Bolt 5/8"(18) x 3 1/4" Also M16 Bolt 5/8"(18) x 4 1/2" Schnorr washer | F-BCap5/8(18)x3-1/4 F-BCap5/8(18)x4-1/2 | |
| Rayco | Rayco style insert 2 bolt, 6 tungsten tiles and tungsten overlay. Suits C100, C160, C185, C200, C260, T260, T360 models | Part No I-TGB48-6TWC | Price Ea |
| | Bolt 5/8"(18) x 3 1/4" Also M16 Bolt 5/8"(18) x 4 1/2" Schnorr washer | F-BCap5/8(18)x3-1/4 F-BCap5/8(18)x4-1/2 | |

All pricing is shown as exclusive of GST.

30 day trading account available to approved applicants. Contact Paul for an account application form. Email: paul@atcgroup.com.au



Rayco, Seppi

Fixed Teeth, Inserts and Holders

| Rayco | Rayco style insert 2 bolt, with tungsten overlay only. Suits C100, C160, C185, C200, C260, T260, T360 models Bolt 5/8"(18) x 3 1/4" Also M16 | Part No I-TGB48-WC F-BCap5/8(18)x3-1/4 | Price Ea |
|-------|---|--|----------|
| | Bolt 5/8"(18) x 4" Schnorr washer | F-BCap5/8(18)x4-1/2 | |
| Rayco | Rayco style insert 2 bolt, 8 tungsten tiles suits C100, C160, C185, C200, C260, T260, T360 models | Part No I-TGB48-8T | Price Ea |
| | Bolt 5/8"(18) x 3 1/4" Also M16 Bolt 5/8"(18) x 4" Schnorr washer | F-BCap5/8(18)x3-1/4 F-BCap5/8(18)x4-1/2 | |
| Rayco | Rayco style insert 2 bolt, 8 tungsten tiles with tungsten overlay suits C100, C160, C185, C200, C260, T260, T360 models | Part No I-TGB48-8T-WC | Price Ea |
| | Bolt 5/8"(18) x 3 1/4" Also M16 Bolt 5/8"(18) x 4" Schnorr washer | F-BCap5/8(18)x3-1/4 F-BCap5/8(18)x4-1/2 | |
| Seppi | Seppi style insert 2 tungsten tiles tungsten tiles with tungsten overlay. Suit fixed tooth rotors BMS, SMWA, Miniforst, Midiforst, | Part No I-WMF27-2TWC Side Scraper below | Price Ea |
| | LH Side Scraper RH Side Scraper | I-WMF27-XHD-LH-2TWC I-WMF27-XHD-RH-2TWC | |
| Seppi | Seppi Style insert with 2 tungsten tiles and hex bolt hole. Suit Miniforst, Midiforst and Midipierre models with fixed inserts. | Part No I-WMF32-WC | Price Ea |
| 50 | M20 x 1.5 Hex | ТВА | |

NOTES

| MACHINE TYPE | Make / Model | ATC PART NO | PRICE EA | QUANTITY REQ'D |
|--------------|--------------|-------------|----------|----------------|
| | | | | |
| | | | | |



Email: paul@atcgroup.com.au Phone: 07 3285 7777 Mobile: 0448 588 433



Ground Engaging Wearparts

Wood Chipper Blades

Chipper blades for;

Morbark

Vermeer





Phone: 07 3285 7777 or Mobile 0448 588 433

Email: sales@atcgroup.com.au WEB www.atcgroup.com.au

ATC supply wood chipper blades for Morbark and Vermeer wood chippers. ATC chipper blades are manufactured from A8 modified Swiss tool steel and cryogenically treated. They are supplied with edge protectors and in a safe and convenient carry box at no extra charge.

| Brand / ATC Part Number | Model | Price Ea |
|--------------------------|---|------------------|
| Morbark / CHKN-39233813 | M12R Brush Chipper (12" Drum Chipper) | |
| Morbark / CHKN-39233813 | 14 Blizzard Brush Chipper (14" Drum Chipper) | |
| Morbark / CHKN-39233813 | M15R and M15RX Brush Chipper (15" Drum Chipper) | |
| Morbark / CHKN-39233813 | 15 Tornado Brush Chipper (15" Drum Chipper) | 4.44/10 |
| Morbark / CHKN-39233813 | 18 Brush Chipper (18" Drum with Double Edge Knives) | |
| Morbark / CHKN-39233813 | 2400XL Hurricane Brush Chipper (18" Drum Chipper) | |
| Morbark / CHKN-39233813 | M18R and M18RX Brush Chipper (18" Drum Chipper) | |
| Morbark / CHKN-39233813 | M20R Brush Chipper (20" Drum with Double Edge Knives) | |
| Vermeer / CHKN-153175001 | BC700 (6" Drum Chipper) | |
| Vermeer / CHKN-153175001 | BC1000 and BC1000XL (12" Drum Chipper) | May Contact from |
| Vermeer / CHKN-153175001 | BC1200XL (13" Drum Chipper) | 7 1/1/2 |







Email: paul@atcgroup.com.au Phone: 07 3285 7777 Mobile: 0448 588 433

NOTES

| MACHINE TYPE | MAKE / MODEL | ATC PART NO | PRICE EA | QUANTITY REQ'D |
|--------------|--------------|-------------|----------|----------------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

All pricing is shown as exclusive of GST.

ate group



Ground Engaging Wearparts

Slasher blades. Standard replacement or tungsten carbide hardfaced.

Replacement Blade kits for;

Agrifarm

Chris Grow

Daken

Gason

Fieldmaster

Howard

Southern Cross



Phone: 07 3285 7777 or Mobile 0448 588 433

Email: sales@atcgroup.com.au WEB www.atcgroup.com.au

| Make | Length | Hole | Width | Thick | ATC Part No | Price Ea | Hardfaced | | | | |
|---|--------|------|-------|-------|-------------|----------|-----------|--|--|--|--|
| Agrifarm | 355mm | 32mm | 75mm | 12mm | A-SBHO24 | | | | | | |
| Suits Agrifarm ACS, AES, AHS slashers 40mm step down suction lift blade | | | | | | | | | | | |




| Make | Length | Hole | Width | Thick | ATC Part No | Price Ea | Hardfaced | | | | |
|---|--------|------|-------|-------|-------------|----------|-----------|--|--|--|--|
| Chris Grow / Gason | 450mm | 32mm | 100mm | 13mm | A-SBCG29 | | | | | | |
| Suits various Trailed VHD, Orchard VHD and Delta wing single and multi rotor gearbox mowers. Anti Clockwise rotation LH. OEM Ref MC1600 / 2235433 | | | | | | | | | | | |

| Make | Length | Hole | Width | Thick | ATC Part No | Price Ea | Hardfaced | | | |
|---|--------|------|-------|-------|-------------|----------|-----------|--|--|--|
| Chris Grow / Gason | 357mm | 32mm | 100mm | 13mm | A-SBCG26 | | | | | |
| Suits various Orchard VHD single and multi rotor gearbox mowers. Clockwise rotation RH. OEM Ref MC1520 / 226511 | | | | | | | | | | |

| Make | Length | Hole | Width | Thick | ATC Part No | Price Ea | Hardfaced | | | |
|---|--------|------|-------|-------|-------------|----------|-----------|--|--|--|
| Chris Grow / Gason | 355mm | 32mm | 75mm | 12mm | A-SBCG27 | | | | | |
| Suits various Orchard VHD single and multi rotor gearbox mowers. Anticlockwise rotation LH. OEM Ref MC1620 / 226512 | | | | | | | | | | |

| Make | Length | Hole | Width | Thick | ATC Part No | Price Ea | Hardfaced |
|--------------------|--------------------------|------|-------------|--------------|------------------|---------------|-----------|
| Chris Grow / Gason | 450mm | 32mm | 100mm | 10mm | A-SBCG48 | $-X_{ij}$ | |
| | Suits Prope OEM Ref 2 | A100 | r 10' and : | 12' and vari | ious models. Clo | ockwise rotat | ion RH. |

| Make | Length | Hole | Width | Thick | ATC Part No | Price Ea | Hardfaced |
|--------------------|--------------------------|------|-------------|--------------|-----------------|---------------|-------------|
| Chris Grow / Gason | 450mm | 32mm | 100mm | 10mm | A-SBCG49 | | |
| | Suits Propo OEM Ref 2 | | r 10' and : | 12' and vari | ious models. An | ticlockwise r | otation LH. |









mowers. Clockwise rotation RH. OEM Ref MC1525 / 226428

| Make | Length | Hole | Width | Thick | ATC Part No | Price Ea | Hardfaced | | | | |
|---|--------|------|-------|-------|-------------|----------|-----------|--|--|--|--|
| Chris Grow / Gason | 357mm | 32mm | 100mm | 10mm | A-SBCG23 | | | | | | |
| Suits Proper Topper 8' and Orchard, Rapier, single and multi gearbox rotor mowers, Anticlockwise rotation LH, OFM Ref MC1625 / 226427 | | | | | | | | | | | |

| Make | Length | Hole | Width | Thick | ATC Part No | Price Ea | Hardfaced |
|-------|--------------|----------|-----------|-------------|-------------|----------|-----------|
| Daken | 355mm | 32mm | 75mm | 12mm | A-SBHO24 | | |
| | Suction lift | blade an | ticlockwi | se rotation | LH | | |

| Make | Length | Hole | Width | Thick | ATC Part No | Price Ea | Hardfaced |
|-------------|-------------|-----------|-----------|--------------|--------------------|--------------|-----------|
| Fieldmaster | 357mm | 32mm | 100mm | 10mm | A-SBCG22 | | |
| | Suits vario | us Fieldm | naster mo | dels suction | n lift blade antic | lockwise rot | ation RH |

| Make | Length | Hole | Width | Thick | ATC Part No | Price Ea | Hardfaced | | | |
|---|--------|------|-------|-------|-------------|----------|-----------|--|--|--|
| Fieldmaster | 357mm | 32mm | 100mm | 10mm | A-SBCG23 | | | | | |
| Suits various Fieldmaster models suction lift blade clockwise rotation LH | | | | | | | | | | |

| Make | Length | Hole | Width | Thick | ATC Part No | Price Ea | Hardfaced | | | |
|---|--------|------|-------|-------|-------------|----------|-----------|--|--|--|
| Howard | 355mm | 32mm | 75mm | 12mm | A-SBHO24 | 1 | | | | |
| Suits various Nugget, MD, EHD, EXD slashers suction lift blade anticlockwise rotation LH OEM Ref 78663 Bolt Kits F-SBHO24BK | | | | | | | | | | |

| Make | Length | Hole | Width | Thick | ATC Part No | Price Ea | Hardfaced | | | | |
|--------|--|------|-------|-------|-------------|----------|-----------|--|--|--|--|
| Howard | 355mm | 32mm | 90mm | 12mm | A-SBHO43 | 19/1/ | | | | | |
| | Suction Lift Blade anticlockwise rotation LH OEM Ref 78787KN Leading edge style heavy duty blade. Bolt Kits F-SBHO24BK | | | | | | | | | | |



References to OEM brands and part numbers are for identification purposes only. Items are not sold as original equipment parts.

| Make | Length | Hole | Width | Thick | ATC Part No | Price Ea | Hardfaced | | |
|--|--------|------|-------|-------|-------------|----------|-----------|--|--|
| Southern Cross | 355mm | 32mm | 90mm | 12mm | A-SBHO24 | | | | |
| Suits 3'6" and 6" slasher models. Suction lift blade anticlockwise rotation LH | | | | | | | | | |

NOTES

| MACHINE TYPE | Make / model | ATC PART NO | PRICE EA | QUANTITY REQ'D |
|--------------|--------------|-------------|----------|----------------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

ATC Group provides a tungsten carbide hardfacing service to greatly extend the life of slasher blades. ATC slasher blades are manufactured from boron 30MNB5 material and can be supplied as a hardfaced blade alternative. Please call to discuss your requirements with us. There are a variety of hardfaced options available.





All pricing is shown as exclusive of GST.

30 day trading account available to approved applicants. Contact Paul for an account application form. Email: paul@atcgroup.com.au



Ground Engaging Wearparts

Stump grinding teeth pockets and fasteners

Replacement stump teeth, holders and fasteners for;

Bandit

Bobcat

Carlton

Rayco

Red Roo

Stump Humper

Toro

Vermeer



Phone: 07 3285 7777 or Mobile 0448 588 433

| 1 | | | | | |
|---|-----------------|--------------------|--------------------|--------------------|------------------|
| ı | I-BT700-T | F-W-BT700 Collar | H-BT700-ANGLE | H-BT700-STRAIGHT | Lopro bolts. |
| ı | 52mm high, 21mm | F-NC3/8Nyloc Nut | 87mm high with | 87mm high with | Refer to fitting |
| | | r-incs/olygioc mut | 39mm hole centres. | 39mm hole centres. | guide page 80. |
| | diameter tip. | | Reversible holder. | Reversible holder | |
| | | | | | |

| Brand | Model | I-BT700-T | H-BT700 ANGLE | H-BT700 STRAIGHT |
|---------|--|-----------|------------------|---------------------|
| Bandit | HB19, HB19X, HB20, HB20X | 8 | 4 | 4 |
| Bandit | 2100SP, 2150XP, 2250XP | 18 | 12 | 6 |
| Bobcat | 23 Hp attachment | 16 | 12 | 4 |
| Rayco | RG9, RG13 Series II | 8 | 4 | 4 |
| Rayco | RRG13, G20HD, RG25HD | 12 | 6 | 6 |
| Rayco | 1625 Jr, 1625 Super Jr, RG1631, RG1635 Super Jr, 1635 Trac RG27, RG37, RG37 Trac Jr, RG50 | 18 | 12 | 6 |
| Rayco | 1635A, 1635D, RG1642, RG1645, 1600M, RG1660M, RG45X, RG45X-R Super Jr, RG45Trac Jr, RG70X, RG74 TR | 24 | 20 | 4 |
| Red Roo | SG350, SH400, SHP400 (SG30TRX, SP4012) | 8 | 4 | 4 |
| Red Roo | SG30TRX, (SP4012 - 20 teeth, 16 angled, 4 straight) | 16 | 12 | 4 |
| Toro | STX26 | 12 | 8 | 4 |
| Toro | STX38 | 16 | 12 | 4 |
| Vermeer | 222 | 12 | 6 | 6 |
| Vermeer | 630B | 12 | 10 | 2 |
| Vermeer | 252, 292, 352 | 16 | 12 | 4 |
| Vermeer | 206, 630A, | 18 | 16 | 2 |

Email: paul@atcgroup.com.au Phone: 07 3285 7777 Mobile: 0448 588 433

WEB: www.atcgroup.com.au





| Brand | Model | I-BT900-T | H-BT900 ANGLE | H-BT900 STRAIGHT |
|---------|--|-----------|------------------|---------------------|
| Bandit | ZT1844 | 8 | 4 | 4 |
| Bandit | 2450XP, 2550XP, RG40 Super Jr, RG50 | 18 | 12 | 6 |
| Rayco | 1635A, 1635D, RG1642, RG1645, 1600M, RG1660M, RG45X, RG45X-R Super Jr, RG45Trac Jr, RG70X, RG74 TR | 24 | 20 | 4 |
| Rayco | RG1665 post 1997, RG1672DXH, 1672M, RG100DX | 32 | 28 | 4 |
| Red Roo | SP7015, SP7015TRX | 32 | 28 | 4 |
| Vermeer | 352 | 20 | 16 | 4 |
| Vermeer | 372, 665B | 24 | 20 | 4 |
| Vermeer | 50TX, 60TX, 502, 505, 602 | 30 | 26 | 4 |

Note: Fitment of 700 and 900 and 1100 series stump grinder teeth to Vermeer models. Vermeer come fitted with original "Yellowjacket teeth" and Vermeer holders. However the range of I-BT700 and I-BT900 and I-BT100 teeth can be fitted by replacing the original Vermeer holders with ATC H-BT700 and H-BT900 and H-BT1100 angled and straight holders. The hole centres of the original Vermeer holders are the same as the ATC H-BT700 and H-BT900 and H-BT1100.

Please be aware: Sharpening of tungsten carbide can be a hazard to your health. The use of suitable breathing apparatus and eye protection is required when sharpening any tungsten carbide product.



All pricing is shown as exclusive of GST.



| Brand | Model | I-BT1100-T | H-BT1100 ANGLE | H-BT1100 STRAIGHT |
|---------|-------------------------------------|------------|-------------------|----------------------|
| Bandit | 2890XP, 2900 Tracked | 24 | 20 | 4 |
| Bandit | 2800XP,3400XP | 32 | 28 | 4 |
| Bandit | 3200XP | 48 | 44 | 4 |
| Rayco | RG37 Super Jr, RG66, RG85 | 24 | 18 | 6 |
| Rayco | RG1665 post 1997, RG1672DXH, 1672M, | 32 | 28 | 4 |
| Rayco | RG70, RG100, RG100R | 36 | 28 | 8 |
| Rayco | RG106DXH, RG120DXH, RG140DXH | 40 | 36 | 4 |
| Red Roo | SP8018 TRX | 32 | 28 | 4 |
| Vermeer | 652, 852, SC852 | 26 | 22 | 4 |
| Vermeer | 672 | 28 | 24 | 4 |
| Vermeer | 1152 | 32 | 28 | 4 |
| Vermeer | 752, 802 | 36 | 32 | 4 |
| Vermeer | 1102 | 48 | 44 | 4 |

Can't see the model you required listed? Contact us and we will do our best to assist you with any enquiry you may have. ATC are committed to customer service and will do our best to assist you!

References to OEM brands and part numbers are for identification purposes only. Items are not sold as original equipment parts.

Email: paul@atcgroup.com.au Phone: 07 3285 7777 Mobile: 0448 588 433





| Brand | Model | I-BTHORNET | H-BTHORNET Angled | H-BTHORNET Straight |
|---------|-------------------------------------|------------|----------------------|------------------------|
| Vermeer | 222 | 12 | 6 | 6 |
| Vermeer | 630B | 12 | 10 | 2 |
| Vermeer | 252, 292, SC292, 362, SC362, SC30TX | 16 | 12 | 4 |
| Vermeer | 206, 630A | 18 | 16 | 2 |
| Vermeer | 352, SC40TX, SC382 | 20 | 16 | 4 |
| Vermeer | 372, 665B | 24 | 20 | 4 |
| Vermeer | SC552, 652, 852, SC852, | 26 | 22 | 4 |
| Vermeer | 672 | 28 | 24 | 4 |
| Vermeer | 50TX, 60TX, 502, 505, 602, SC70TX, | 30 | 26 | 4 |
| Vermeer | 665. 1152 | 32 | 24 | 8 |
| Vermeer | 752, 802, SC802 | 42 | 38 | 4 |
| Vermeer | 1102 | 48 | 44 | 4 |

Note: Fitment of 700 and 900 and 1100 series stump grinder teeth to Vermeer models. Vermeer come fitted with original "Yellowjacket teeth" and Vermeer holders. However the range of I-BT700 and I-BT900 and I-BT100 teeth can be fitted by replacing the original Vermeer holders with ATC H-BT700 and H-BT900 and H-BT1100 angled and straight holders. The hole centres of the original Vermeer holders are the same as the ATC H-BT700 and H-BT900

All pricing is shown as exclusive of GST.







Sandvik style teeth are available in set and offset styles. Set teeth are used with Revolution wheel and offset with Razor wheel or Dura Disk wheel.

Will suit Carlton / Red Roo models;

 SP2000
 30 teeth

 SP2010
 30 teeth

 SP4012P
 36 teeth

 SP4012D
 36 teeth

 SP5014TRX
 36 teeth

 SP7015TRX
 50 teeth

Email: paul@atcgroup.com.au Phone: 07 3285 7777 Mobile: 0448 588 433

WEB: www.atcgroup.com.au






| Brand | Model | I-RST-TH-RH | I-RST-CB-LH | I-RST-TH -STRAIGHT | I-RST-CB -STRAIGHT |
|-------|---|-------------|-------------|-----------------------|-----------------------|
| Rayco | RG9, RG13 Series II | 2 | 2 | 2 | 2 |
| Rayco | RG13, RG20HD, RG25HD | 3 | 3 | 3 | 3 |
| Rayco | 1625 Jr, 1625 Super Jr, RG1631, RG1635 Super Jr, 1635 Trac RG27, RG37, RG37 Trac Jr, RG50 | 6 | 6 | 3 | 3 |
| Rayco | RG37 Super Jr, RG66, RG85 | 9 | 9 | 3 | 3 |
| Rayco | 1635A, 1635D, RG1642, RG1645, 1600M, RG1660M, RG45X, RG45X-R Super Jr, RG45Trac Jr, RG70X, RG74 TR | 10 | 10 | 2 | 2 |
| Rayco | RG1665 post 1997, RG1672DXH, 1672M, RG100DX | 14 | 14 | 2 | 2 |
| Rayco | RG70, RG100, RG100R | 16 | 16 | 2 | 2 |
| Rayco | RG106DXH, RG120DXH, RG140DXH | 18 | 18 | 2 | 2 |

Can't see the model you required listed? Contact us and we will do our best to assist you with any enquiry you may have. ATC are committed to customer service and will do our best to assist you!



References to OEM brands and part numbers are for identification purposes only. Items are not sold as original equipment parts.

Email: paul@atcgroup.com.au Phone: 07 3285 7777 Mobile: 0448 588 433



Above 1/2" Stump grinding teeth will suit a large range of stump grinders, excellent for low hp applications. Holders to suit are industry standard with 38mm hole centres.

| CAP HEAD BOLTS - WHEEL THICKNESS | REQUIRED BOLT LENGTH | ATC PART NUMBER | PRICE EA |
|----------------------------------|----------------------|---------------------|----------|
| 1/2" (12.70mm) | 2" (50.80mm) | F-BCAP5/8(18)x2 | |
| 3/4" (19.05mm) | 2-1/4" (57.15mm) | F-BCAP5/8(18)x2-1/4 | |
| 1" (25.40mm) | 2-1/2" (63.50mm) | F-BCAP5/8(18)x2-1/2 | |
| 1-1/8" (28.58mm) | 2-3/4" (69.85mm) | F-BCAP5/8(18)x2-3/4 | |
| 1-1/2" (38.10mm) | 3" (76.20mm) | F-BCAP5/8(18)x3 | |

Cap Head Bolts are in the above table. Lopro bolts are in the below table. Note: Cap Head Bolts are measured from under the head and Lopro Bolts are measured including head.



Use 1/2" Allen key drive torque to 180-200FT/LBS

| LOPRO BOLTS - WHEEL THICKNESS | REQUIRED BOLT LENGTH | ATC PART NUMBER | PRICE EA |
|-------------------------------|----------------------|----------------------|----------|
| 1/2" (12.70mm) | 2" (50.80mm) | F-BLCAP5/8(18)x2 | |
| 3/4" (19.05mm) | 2-1/4" (57.15mm) | F-BLCAP5/8(18)x2-1/4 | |
| 1" (25.40mm) | 2-1/2" (63.50mm) | F-BLCAP5/8(18)x2-1/2 | |
| 1-1/8" (28.58mm) | 2-3/4" (69.85mm) | F-BLCAP5/8(18)x2-3/4 | |
| 1-1/2" (38.10mm) | 3" (76.20mm) | F-BLCAP5/8(18)x3 | |

All pricing is shown as exclusive of GST.



NOTES

| MACHINE TYPE | Make / Model | ATC PART NO | PRICE EA | QUANTITY REQ'D |
|--------------|--------------|-------------|----------|----------------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |



References to OEM brands and part numbers are for identification purposes only. Items are not sold as original equipment parts.

Email: paul@atcgroup.com.au Phone: 07 3285 7777 Mobile: 0448 588 433



Ground Engaging Wearparts


Drilling & Trenching Wearparts

Digga
Ditchwitch
Hydropower
Pengo



Phone: 07 3285 7777 or Mobile 0448 588 433







Auger Teeth Page 84



| Size | ATC Part Number | Price Ea |
|------|-----------------|----------|
| 10mm | DT-10mm-WC | |

Drop forged abrasion tooth with ATC tungsten overlay. Suits Digga TS series, Pengo, Hydrapower. 90mm L x 45mm W. Use DT-H-10mm-FM flush mount holder.



| Size | ATC Part Number | Price Ea |
|------|--------------------|----------|
| 10mm | DT-10mm-ABRASION-T | |

Drop forged abrasions tooth with tungsten tile. Suits Digga TS series, Pengo, Hydrapower. 90mm L x 45mm W. Use DT-H-10mm-FM flush mount holder.



| Size | ATC Part Number | Price Ea |
|------|---------------------------|----------|
| 10mm | DT-10mm-CHISEL-ABRASION-T | |

Drop forged chisel abrasions tooth with ATC tungsten tile. Suits Digga TS series, Pengo, Hydrapower. 92mm L x 43mm W. Use DT-H-10mm-FM flush mount holder.



| Size | ATC Part Number | Price Ea |
|------|-----------------------|----------|
| 10mm | DT-10mm-CHISEL-ROCK-T | |

Drop forged abrasions tooth with ATC tungsten tile. Suits Digga TS series, Pengo, Hydrapower. 97mm L x 43mm W. Use DT-H-10mm-FM flush mount holder.



| Size | ATC Part Number | Price Ea |
|------|-----------------|----------|
| 10mm | DT-10mm-ROCK-3T | |

Drop forged abrasions tooth with 3 tungsten tiles. Suits Digga TS series, Pengo, Hydrapower. 73mm L x 41mm W. Use DT-H-10mm-FM flush mount holder.



| Size | ATC Part Number | Price Ea |
|------|----------------------|----------|
| 10mm | DT-10mm-LONG-ROCK-3T | |

Drop forged abrasions tooth with 3 tungsten tiles. Suits Digga TS series, Pengo, Hydrapower. 93mm L x 41mm W. Use DT-H-10mm-FM flush mount holder.



| Holder Flush Mount | ATC Part Number | Price Ea |
|--------------------|-----------------|----------|
| To suit 10mm teeth | DT-H-10mm-FM | |

Holder is used with rubber string and suits all 10mm teeth listed above. Rubber string part number is DT-RUBBER 6.5x150

ATC also provide a custom tungsten carbide hardfacing service. With over 20 years experience and robotic and computer aided delivery systems, we are very skilled at what we do. Contact us to discuss your requirements.





Ground Engaging Wearparts

Sod Harvester Blades for;

Kesmack

Ryan

Simpson

Trebro

Aerator Blades for:

Aerway

Agrifarm

Agrivator

Berends

EZ

Farmtech Aervator

Fleming

Groundhog

Growmaster

Leda

Turf Cutter & Aerator Blades





Phone: 07 3285 7777 or Mobile 0448 588 433



ATC GROUP harvester blades are manufactured entirely from 30MNB5 European boron steel. Our blades are heavy duty in application and are supplied with a single bevel blade edge sharpened to a razor edge. Our 23" and 24" blades are manufactured with a formed centre blade to provide strength to prevent bowing in hard soil types. The side cutters are also induction hardened making ATC harvester blades the longest wearing in the industry today!

| ATC GROUP supply harvester blades to suit: | Part No | Price Ea |
|---|-------------|----------|
| 16" Ryan, Kesmac, Simpson with no fingers | A-TH16NF | |
| 16" Ryan, Kesmac, Simpson with 4 x 137mm fingers | A-TH16-WF-C | |
| 18" Ryan, Kesmac, Simpson with no fingers | A-TH18NF | |
| 18" Ryan, Kesmac, Simpson with 4 x 124mm fingers | A-TH18WF-C | |
| 23" Ryan, Kesmac, Brouwer, Trebro with no fingers | A-TH23NF | |
| 23" Ryan, Kesmac, Brouwer, Trebro. with 5 x 194mm fingers | A-TH23WF-C | |
| 24" Ryan, Kesmac, Brouwer, Trebro. With no fingers | A-TH24NF | |
| 24" Ryan, Kesmac, Brouwer, Trebro with 5 x 127mm fingers | A-TH24WF-C | |

Turf Harvester Blades from ATC Group NOW available with Induction Hardened Cutting Edges as Standard.

16", 18", 23" and 24" Boron harvester blades with and without fingers to suit Ryan, Kesmac, Brouwer, Trebro and Simpson harvesters.

- Bottom cutting edges now induction hardened.

Aerator Tines to suit To fit Aerway, Berends, Groundhog, Growmaster, Agrifarm Agrivator, Farmtech, EZ and Leda aerators.

| ATC Part No | Description | Shattertine style Aerway | | Price Ea |
|----------------|--------------------------------|--------------------------|---|----------|
| A-ST5455-LH | Shattertine style LH | 60 | 1 | |
| A-ST5455-LH-WC | Shattertine style LH hardfaced | | | |
| A-ST5455-LH | Shattertine style LH | | | |
| A-ST5455-LH-WC | Shattertine style LH hardfaced | | | |

All pricing is shown as exclusive of GST. Items are not sold as original equipment parts.

Email: paul@atcgroup.com.au Phone: 07 3285 7777 Mobile: 0448 588 433





Ground Engaging Wearparts

Fasteners

Plow Bolt
Plow Bolt
Cap Screw Bolts
UNC Nuts
Cone Lock Nuts
Elliptical Nuts
Flat Washers
Schnorr Washers
U-Bolts



Phone: 07 3285 7777 or Mobile 0448 588 433

Elliptical



Plow bolts, UNC nuts, UNC cone lock nuts, and elliptical lock nuts are stocked. Minimum 170,000 PSI tensile strength - 14% higher than SAE requirement



UNC



Cone Lock





Hex head bolts, UNC nuts, UNC cone lock nuts , and elliptical lock nuts are stocked. Minimum 170,000 PSI tensile strength - 14% higher than SAE requirement



UNC



Cone Lock



Elliptical



Cap head bolts available in a wide range of sizes. ATC also stock a comprehensive range of standard washers and schnorr washers





Contact ATC for your fastener requirements.







The last few years have seen the world become a smaller place. Easier access to China through the web and low end resellers mean wearparts have drastically come down in price. Some parts have never been cheaper.


There is though, a huge difference between cheap parts at a cheap price and premium parts at a great price. This is the main difference that separates ATC GROUP from the rest. Our products are the highest quality, International standard parts specially manufactured with Australian conditions in mind.



| U-Bolts | | Α | В | С | D | |
|---------------|------------|--------|--------------|--------|------------------|-----------------|
| ATC P/No | RHS Side | Thread | Inside Width | Length | Thread Length | Price Each |
| F-AUB35X35-58 | 3.5"X 3.5" | 5/8" | 91 | 130 | 45 | 1.116.116.116.1 |
| F-AUB35X35-34 | 3.5"X 3.5" | 3/4" | 91 | 140 | 35 | |
| F-AUB4X4-58 | 4" X 4" | 5/8" | 102 | 155 | 50 | |
| F-AUB4X4-34 | 4" X 4" | 3/4" | 102 | 150 | 55 | |
| F-AUB4X4-1 | 4" X 4" | 1" | 101 | 150 | 35 | |
| F-AUB4X6-34 | 4" X 6" | 3/4" | 102 | 200 | 55 | |
| F-AUB6X4-58 | 6" X 4" | 5/8" | 152 | 140 | 45 | |
| F-AUB6X4-34 | 6" X 4" | 3/4" | 152 | 150 | 55 | 16.00 |
| F-AUB6X6-58 | 6" X 6" | 5/8" | 152 | 190 | 45 | MA 7 - 7 / |
| F-AUB6X6-34 | 6" X 6" | 3/4" | 152 | 200 | 55 | Marie Carlotte |
| F-AUB6X6-1 | 6" X 6" | 1" | 152 | 200 | 55 | |
| F-AUB7X7-58 | 7" X 7" | 5/8" | 180 | 220 | 45 | |
| F-AUB7X7-34 | 7" X 7" | 3/4" | 180 | 230 | 55 | |
| F-AUB7X7-78 | 7" X 7" | 7/8" | 179 | 230 | 35 | |
| F-AUB7X7-78L | 7" X 7" | 7/8" | 179 | 250 | 50 | |
| F-AUB8X4-34 | 8" X 4" | 3/4" | 202 | 150 | 55 | |
| F-AUB8X8-58 | 8" X 8" | 5/8" | 202 | 240 | 45 | |
| F-AUB8X8-34 | 8" X 8" | 3/4" | 202 | 250 | 55 | |
| F-AUB8X8-78 | 8" X 8" | 7/8" | 202 | 267 | 64 | |

U-Bolts are sold including spring washers and nuts.

Note that the length "C" dimensions in the table above includes thread length.



All pricing is shown as exclusive of GST.



NOTES

| MACHINE TYPE | MAKE / MODEL | ATC PART NO | PRICE EA | QUANTITY REQ'D |
|--------------|--------------|-------------|----------|----------------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

All pricing is shown as exclusive of GST.





HOW TO ORDER



- Orders can be placed by, email or phone, and we do not require any minimum invoice value. Please note all prices listed in our wearparts components catalogue are exclusive of GST.
- All published prices are subject to change without prior notice.

PAYMENTS

- ATC GROUP do make available to approved customers, 30 day after end of month trade accounts. For an account application form please contact Paul via email paul@atcgroup.com.au or phone our office on 07 3285 7777.
- For non account holders, ATC GROUP accept credit card payments via MasterCard and Visa. ATC GROUP do not store records of your credit card details. Payment by direct deposit via EFT is also available. Our account details and BSB are listed on all invoices.
- ATC GROUP accept payment by cheque for account holders only. Our postal address is ATC GROUP 7/34 Paisley Drive, Lawnton Queensland 4501.

SHIPPING OF ORDERS

- ATC GROUP delivers orders Australia wide using a variety of shipping companies and all freight charges are
 clearly quoted prior to despatch of orders. ATC GROUP have developed partnerships with major transport
 companies and always endeavour to provide you with the most competitive freight rates available for your
 geographic location. ATC GROUP use Australia post for smaller orders. Bulk orders can be delivered to
 transport depots for collection.
- Orders for standard/blanks parts are generally shipped the next business day.
- Orders for parts with tungsten carbide/chromium carbide overlay hard facing are usually despatched within 4 business days.

TRADING HOURS

• ATC GROUP can be contacted from 8.30am to 5pm Monday to Friday. We are closed on public holidays and for a short time over the Christmas break.

Phone: 07 3285 7777 or Mobile 0448 588 433

WARRANTY



WARRANTY POLICY

- When purchasing goods from ATC GROUP, customers are entitled to assume;
- The goods being purchased are of a satisfactory quality.
- The goods are fit for all purposes for which they are intended.
- The goods are safe and durable.
- That where any written description is applied to the good, that they match that description.
- Of course ATC GROUP engineers want to solve any issue, so we may ask for the parts to be returned or want to discuss fitment / adapter issues. Some breakages, such as those caused by grinding quartz with your tungsten tipped stump grinder teeth or trying to drill through a buried gearbox with your 8mm auger teeth are not ATC GROUP's fault. For us to keep supplying high quality parts at these great prices we need fair minded customers.

RETURNS POLICY

- If the product you choose has been wrongly described, different to the product purchased or doesn't perform as advertised you are entitled to a refund. In this case ATC GROUP would pay the return freight.
- Please choose carefully as we don't give refunds if you just change your mind. That said, we understand
 sometimes between the machine operator and procurement, errors are made. The wrong parts get
 ordered etcetera. If this occurs call us or send us an email, explain the situation and we will do our best
 to help. The customer would bear the cost of returning the freight if the error was not ours.
- Parts must be returned in the same condition that they are supplied, and received by ATC GROUP within 21 days of being received by the customer.
- Our products are all the highest quality, international standard parts specially manufactured with Australian conditions in mind.
- © This catalogue is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, nor may any other exclusive right be exercised, without the written permission of ATC GROUP.

Phone: 07 3285 7777 or Mobile 0448 588 433

March 2024

WEARPARTS CATALOGUE



Standard replacement wearparts and tungsten carbide hard faced wearparts for

ATC Group Unit 16, 31-79 Paisley Drive, Lawnton, QLD 4501.

ABN 40 414 770 743

www.atcgroup.com.au

PH: 07 3285 7777

MOB: 0448 588 433

EMAIL: paul@atcgroup.com.au







